



Digital Printing and Imaging (DPI) Ordering Guide

Information Technology Commodity Council

Version 1.3 (18 August 2016)

Digital Printing and Imaging (DPI) Ordering Guide

Information Technology Commodity Council

1. *DPI Goal*

The goal of the overall IT Commodity Council is to support missions that require computing, printing, and cellular capabilities by offering products through enterprise buying programs to deliver the right device at an affordable cost ensuring success across the spectrum of operations, whether in peace or at war. DPI supports the lifecycle of printing products with the goal of delivering a range of printing capabilities, which include plug-n-play network connections, pre-set security configurations, and devices sized for the mission need. DPI is an enabler to meet Air Force mission needs allowing product cycle updates to increase capabilities at competitive pricing and offering products ranging from basic office printers and scanners to high-end performance printers supporting CONUS and OCONUS operations.

2. *DPI Scope*

The DPI blanket purchase agreements (BPAs) will provide a range of printer products covering the full spectrum of office-centric operations and missions, including single-function devices (SFD), scanners and multi-function devices (MFD) commonly available. The DPI BPAs will provide print/scan devices to support Air Force users, authorized AF contractors, and the Office of Secretary of Defense (OSD).

Mandatory Use



In accordance with AFMAN 33-153, paragraph 2.2, "Procure IT hardware (including PWCS) using applicable enterprise buying programs (e.g. AFWay, NETCENTS) mandated by joint SAF/AQ and SAF/CIO A6 memorandums, acquisition policies, and/or IT governance policies published under AFPD 33-4, *Information Technology Governance*, to implement OMB Circular A-130, *Management of Federal Information Resources*, (T-1).

Integrated Life cycle Management guidance including IT requirements are provided in AFI 63-101/20-101.

Waiver authority for this enterprise buy mandatory use requirement is SAF/CIO A6, if not otherwise provided by the program.

3. *DPI Ordering Guidance*

The DPI program currently provides two distinctively different printer sets. The first includes a range of SFDs, which are competed and selected based on best value to meet the Air Force requirements including monthly page counts, security parameters, and capability. These devices posted on AFWay are available for purchase with no further competitive action required. The included memorandum ([Appendix A](#)) addresses the information needed for contract files. The second set of printer products are the MFDs. The ITCC validates the proposed MFDs against the technical parameters to ensure they meet or exceed all of the mandatory requirements. It is important to note that all purchasers of any DPI MFD must complete their own cost comparison amongst the products offered and justify the selection in accordance with normal acquisition and contracting requirements. Contracting officers and Government Purchase Card (GPC) holders should ensure due diligence was completed prior to issuing an order for DPI MFD products. Products identified in the scanner categories were also validated against the technical parameters to ensure they meet or exceed all of the mandatory requirements. It is also important to note that all purchasers of any DPI scanner must complete their own cost comparison amongst the products offered and justify the selection in accordance with normal acquisition and contracting requirements. Contracting officers and Government Purchase Card (GPC) holders should ensure due diligence was completed prior to issuing an order for scanner products.

Total Cost of Ownership: The best way to compare print devices is using total cost of ownership (TCO) calculations. One of the most costly aspects of printing is the use of consumables, toner/ink and maintenance items such as photoconductors, fusers, etc. Costs of consumables can exceed the price of the device in many instances. Comparison of TCO values can be accomplished at the total value over a period of time and print volume or as a per page cost.

Warranty Information: [Appendix B](#) provides links to the warranty information applicable to the DPI products offered under each Product Selection Cycle (PSC).

Blanket Purchase Agreements: [Appendix C](#) provides links to the BPAs for the six DPI vendors. In addition, there is a link to the DD Form 2579, Small Business Coordination Record.

4. *DPI Product Catalog*

The DPI product catalog provides specific information regarding the devices offered under the current PSC – PSC2016. These products will be available until the next PSC is completed and products posted to AFWay. The ITCC conducts selection cycles annually.

PSC 2016 products include the following (click to jump to the specific product table):



Table of contents

Contents

Table of contents	3
Black and White Office SFP 110V	6
Black and White Office SFP 220V	7
Color Office SFP 110V	8
Color Office SFP 220V	9
Color AFIN Document Scanner 110V	13
Color AFIN Document Scanner 110V	14
Black and White Office MFP 110V	17
COAST TO COAST MFP	17
Black and White Office MFP 220V	18
Black and White Performance MFP 110V	19
Black and White Performance MFP 220V	20
Color Office MFP 110V	21
Color Office MFP 220V	23
Color Performance MFP 110 (CONUS)	25
Color Performance MFP 220V	27
Color 11X17 MFP 110V	29
Color 11X17 MFP 220V	31
HMS TECHNOLOGIES MFP	33
Black and White Office MFP 110V	33
Black and White Office MFP 220V	34
Black and White Performance MFP 110V	35
Black and White Performance MFP 220V	36
Color Office MFP 110V	37
Color Office MFP 220V	38
Color Performance MFP 110V	39
Color Performance MFP 220V	40
Color 11X17 MFP 110V	41
Color 11X17 MFP 220V	42
HEWLETT-PACKARD MFP	43
Black and White Office MFP 220V	43
Black and White Performance MFP 110V	44
Black and White Performance MFP 220V	45

Digital Printing and Imaging (DPI) Ordering Guide



Color Office MFP 220V	46
Color Performance MFP 110V	47
Color Performance MFP 220V	48
Color 11X17 MFP 110V	49
Color 11X17 MFP 220V	50
INTELLIGENT DECISIONS MFP	51
Black and White Office MFP 110V	51
Black and White Office MFP 220V	52
Black and White Performance MFP 110V	53
Black and White Performance MFP 220V	54
Color Office MFP 110V	55
Color Office MFP 220V	57
Color Performance MFP 110V	59
Color Performance MFP 220V	61
Color 11X17 MFP 110V	62
Color 11X17 MFP 220V	64
LEXMARK MFP	66
Black and White Office MFP 220V	66
Black and White Performance MFP 110V	67
Black and White Performance MFP 220V	68
Color Office MFP 220V	69
Color Performance MFP 110V	70
Color Performance MFP 220V	71
Lexmark Color 11X17 MFP 110V	72
Lexmark Color 11X17 MFP 220V	74
NCS TECHNOLOGIES MFP	76
Black and White Office MFP 110V	76
Black and White Office MFP 220V	77
Black and White Performance MFP 110V	78
Black and White Performance MFP 220V	79
Color Office MFP 110V	80
Color Office MFP 220V	81
Color Performance MFP 110V	82
Color Performance MFP 220V	83
Color 11X17 MFP 110V	84
Color 11X17 MFP 220V	85



[Single-Function Devices](#)

[Scanning Devices](#)

[Multi-Function Devices](#)

Single-Function Devices:

Single-Function Devices	Vendor	Product	Small Business?
BW Office 110V SFP	HP	HP LaserJet Enterprise M506dn	No
BW Office 220V SFP	HP	HP LaserJet Enterprise M506dn	No
Color Office 110V SFP	Coast to Coast	HP Color LaserJet Enterprise M553dn Printer	Yes
Color Office 220V SFP	HP	HP Color LaserJet Enterprise M553dn Printer	No

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Office SFP 110V					
Vendor: HP					
OEM/Model:		Part Number:		CONUS	OCONUS
HP LaserJet Enterprise M506dn		F2A69A201		\$514.00	\$546.00
Key Attributes:					
TCO (per page)	.0080625				
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention				
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet				
Print Speed (Monochrome)	45 ppm				
Duplex	Yes - Automatic (standard)				
Print Resolution	1200 x 1200 dpi				
Input Capacity	100-sheet multipurpose tray 1, 550-sheet tray 2 Letter, legal, 8.5 x 13 in, executive, envelopes Custom: 3 x 5 in to 8.5 x 14 in				
Output Capacity	250-sheet top output bin				
Power	110V AC 50/60 Hz				
Energy Star	ENERGY STAR® Version 2.0 Qualified				
EPEAT	EPEAT® Gold				
Dimensions	16.46 x 14.80 x 11.73 in				
Weight	25.9 lb.				
Certifications	IPV6, DISA Multi-Function Device and Network Printers STIG Compliant				
Consumables:					
Type	Description	Part Number	CONUS	OCONUS	
Standard Yield Toner : Black	HP 872A Black Original LaserJet Toner Cartridge 9,000 pages	HP-CF287A-PSC2016	\$26.00	\$26.00	

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Office SFP 220V					
Vendor: Hewlett-Packard					
OEM/Model:		Part Number:		CONUS	OCONUS
HP LaserJet Enterprise M506dn		F2A69AAAZ		\$514.00	\$546.00
Key Attributes:					
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention				
TCO (per page)	\$0.00839				
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet				
Print Speed (Monochrome)	45 ppm				
Duplex	Yes - Automatic (standard)				
Print Resolution	1200 x 1200 dpi				
Input Capacity	100-sheet multipurpose tray 1, 550-sheet tray 2 Letter, legal, 8.5 x 13 in, executive, envelopes Custom: 3 x 5 in to 8.5 x 14 in				
Output Capacity	250-sheet top output bin				
Power	220-240V AC 50/60 Hz				
Energy Star	ENERGY STAR® Version 2.0 Qualified				
EPEAT	EPEAT® Gold				
Dimensions	16.46 x 14.80 x 11.73 in				
Weight	25.9 lb				
Certifications	IPV6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant				
Consumables:					
Type	Description	Part Number	CONUS	OCONUS	
Standard Yield Toner : Black	HP 872A Black Original LaserJet Toner Cartridge 9,000 pages	HP-CF287A-PSC2016	\$26.00	\$26.00	

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office SFP 110V				
Vendor: Coast to Coast				
OEM/Model:		Part Number:	CONUS	OCONUS
HP Color LaserJet Enterprise M553dn Printer		B5L25A201	\$666.59	\$719.18
Key Attributes:				
CONUS TCO (per page)	\$0.03523			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Print Speed (Color)	40 ppm			
Duplex	Yes - Automatic (standard)			
Print Resolution	1200 x 1200 dpi (color and black)			
Input Capacity	100-sheet multipurpose tray 1, 550-sheet tray 2 Letter, legal, 8.5 x 13 in, executive, envelopes Custom: 3 x 5 in to 8.5 x 14 in			
Output Capacity	250-sheet output bin			
Power	110V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
EPEAT	EPEAT® Silver			
Dimensions	18 x 18.9 x 15.7 in			
Weight	60.6 lb			
Certifications	IPV6, DISA Multi-Function Device and Network Printers STIG Compliant			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner: Black	HP 508X High Yield Black LaserJet Toner Cartridge 12,500 pages	CTC-CF360X-PSC2016	\$70.79	\$85.79
High Yield Toner: Cyan	HP 508X High Yield Cyan LaserJet Toner Cartridge 9,500 pages	CTC-CF361X-PSC2016	\$96.35	\$111.35
High Yield Toner: Magenta	HP 508X High Yield Magenta LaserJet Toner Cartridge 9,500 pages	CTC-CF363X-PSC2016	\$96.35	\$111.35
High Yield Toner: Yellow	HP 508X High Yield Yellow LaserJet Toner Cartridge 9,500 pages	CTC-CF362X-PSC2016	\$96.35	\$111.35
Covered by Vendor for Four Years:				
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity				
Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity				
Upgrades				
Description		CONUS	OCONUS	
4 years' worth of consumables		\$5,556.79	\$6,484.38	

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office SFP 220V				
Vendor: Hewlett-Packard				
OEM/Model:		Part Number:	CONUS	OCONUS
HP Color LaserJet Enterprise M553dn Printer		B5L25AAAZ	\$619.00	\$681.00
Key Attributes:				
TCO (per page)	\$0.03145			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Print Speed (Color)	40 ppm			
Duplex	Yes - Automatic (standard)			
Print Resolution	1200 x 1200 dpi (color and black)			
Input Capacity	100-sheet multipurpose tray 1, 550-sheet tray 2 Letter, legal, 8.5 x 13 in, executive, envelopes Custom: 3 x 5 in to 8.5 x 14 in			
Output Capacity	250-sheet output bin			
Power	220-240V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
EPEAT	EPEAT® Silver			
Dimensions	18 x 18.9 x 15.7 in			
Weight	60.6 lb			
Certifications	IPV6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner: Black	HP 508X High Yield Black LaserJet Toner Cartridge 12,500 pages	HP-CF360X-PSC2016	\$59.00	\$59.00
High Yield Toner: Cyan	HP 508X High Yield Cyan LaserJet Toner Cartridge 9,500 pages	HP-CF361X-PSC2016	\$82.00	\$82.00
High Yield Toner: Magenta	HP 508X High Yield Magenta LaserJet Toner Cartridge 9,500 pages	HP-CF363X-PSC2016	\$82.00	\$82.00
High Yield Toner : Yellow	HP 508X High Yield Yellow LaserJet Toner Cartridge 9,500 pages	HP-CF362X-PSC2016	\$82.00	\$82.00

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Scanning Devices	Vendor	Product	Small Business?
Color USB Flatbed ADF Scanner 110V	Coast to Coast	HP ScanJet Pro 3500 f1 Flatbed Scanner	Yes
Color USB Flatbed ADF Scanner 110V	HP	HP Scanjet Enterprise Flow 7500 Flatbed Scanner	No
Color AFIN Document Scanner 110V	Coast to Coast	HP Digital Sender Flow 8500 fn1 Document Capture Workstation	Yes
Color AFIN Document Scanner 110V	HP	HP Digital Sender Flow 8500 fn1 Document Capture Workstation	No

Digital Printing and Imaging (DPI) Ordering Guide



Color USB (PC-Connected) Flatbed ADF Scanner 110V			
Vendor: Coast to Coast			
OEM/Model:	Part Number:	CONUS	OCONUS
HP ScanJet Pro 3500 f1 Flatbed Scanner	L2741A201	\$507.95	\$586.32
Key Attributes:			
Scanner Type	Flatbed ADF		
Warranty	4-Year Next Business Day (NBD) Onsite (Hard Drive Retention Not Applicable No Hard Disk Drive)		
Client Operating System	Windows 10 (32-bit/64-bit), Windows 8.1 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit); Mac OS X Mavericks 10.9, OS X		
DISA SPAN STIG	Not Applicable (no embedded scan to SMTP)		
Connectivity	USB 2.0 and USB 3.0 (SuperSpeed)		
Interfaces	All remote administration and "call home" features may be disabled.		
Hard Drive	No Hard Disk Drive		
ADF Minimum Document Size	4.1 x 5.8 in		
ADF Maximum Document Size	8.5 x 122 in		
Flatbed Minimum Document Size	No minimum size		
Flatbed Maximum Document Size	8.5 x 11.7 in		
ADF Capacity	50 sheets		
Scan Resolution	Scanner type: Color, Duplex, and Legal-size; Quality: Up to 600 dpi (color and mono, ADF) and Up to 1200 dpi (color and mono, flatbed); File types: PDF, JPEG, PNG, BMP, TIFF, TXT (text), RTF (rich text) and searchable PDF		
Black & White Scanning Speed	Up to 25 ppm/50 ipm (300 dpi)		
Grayscale Scanning Speed	Up to 25 ppm/50 ipm (300 dpi)		
Color Scanning Speed	Up to 25 ppm/50 ipm (300 dpi)		
Double-Feed Detection	Standard Ultrasonic Multi Feed Detection		
Skip Blank Page	Standard Blank Page Suppression		
Automatic Color Detection	Standard Automatic Color Detection		
Automatic Page Size Detection	Standard Automatic Page Size Detection and Cropping		
Power	90V to 264V AC, 50/60 Hz (Dual Voltage)		
Energy Star	ENERGY STAR® Version 2.0 Qualified		
E-PEAT	EPEAT® Silver		
Dimensions	18.1 x 15.2 x 5.7 in		
Weight	12.3 lb		

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color USB (PC-Connected) Flatbed ADF Scanner 110V			
Vendor: HP			
OEM/Model:	Part Number:	CONUS	OCONUS
HP Scanjet Enterprise Flow 7500 Flatbed Scanner	L2725BBGJ	\$1,130.00	\$1,442.00
Key Attributes:			
Scanner Type	Flatbed ADF		
Warranty	4-Year Next Business Day (NBD) Onsite (Hard Drive Retention Not Applicable No Hard Disk Drive)		
Client Operating System	Windows 10, Windows 8, Windows 7, Windows 7 x64, Windows Vista, Windows Vista x64, Windows XP Home, Windows XP Professional x64, Limited Support for Linux and Mac		
DISA SPAN STIG	Not Applicable (no embedded scan to SMTP)		
Connectivity	Hi-Speed USB 2.0		
Interfaces	All remote administration and "call home" features may be disabled.		
Hard Drive	No Hard Disk Drive		
ADF Minimum Document Size	2.75 x 5.8 in		
ADF Maximum Document Size	8.5 x 34 in		
Flatbed Minimum Document Size	No minimum size		
Flatbed Maximum Document Size	8.5 x 14 in		
ADF Capacity	100 sheets		
Scan Resolution	Scanner type: Color, Duplex, and Legal-size; Quality: Up to 600 x 600 dpi (color and mono); File types: PDF (image-only, searchable, MRC, PDF/A, encrypted), TIFF (single page, multi-page, compressed: G3, G4, LZW, JPEG), DOC, RTF, WPD, XLS, TXT, XML, XPS, HTML, OPF, JPG, BMP, PNG		
Black & White Scanning Speed	Up to 50 ppm/100 ipm		
Grayscale Scanning Speed	Up to 50 ppm/100 ipm		
Color Scanning Speed	Up to 50 ppm/100 ipm		
Double-Feed Detection	Standard Ultrasonic Multi Feed Detection		
Skip Blank Page	Standard Blank Page Suppression		
Automatic Color Detection	Standard Automatic Color Detection		
Automatic Page Size Detection	Standard Automatic Page Size Detection and Cropping		
Power	100 to 240 VAC (+/-10%), 50/60 Hz (+/- 3 Hz)		
Energy Star	ENERGY STAR® Version 2.0 Qualified		
E-PEAT	EPEAT® Silver		
Dimensions	20.28 x 16.77 x 8.31 in		
Weight	23.37 lb		

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color AFIN Document Scanner 110V			
Vendor: <i>Coast-to-Coast</i>			
OEM/Model:	Part Number:	CONUS	OCONUS
HP Digital Sender Flow 8500 fn1 Document Capture Workstation	L2719AB1K-CTC	\$3,501.74	\$4,317.82
Key Attributes:			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention		
Client Operating System	Network protocols: • IPv4/IPv6: Apple Bonjour Compatible, SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, WS Discovery, IPsec/Firewall • IPv6: DHCPv6, MLDv1, ICMPv6 • IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS		
Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet		
Interfaces	Supports disabling or restricting access to USB interfaces. All remote administration and "call home" features may be disabled.		
Hard Drive	HP Secure High Performance Hard Disk Drive • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security		
Hard Drive Retention	Standard Hard Drive Retention		
Certification/Compliance	IPv6 Compliant DISA SPAN STIG Compliant DoD CAC Enabled with FIPS 201 and SHA-256 Compliance		
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)		
Input Paper Capacity	100 sheets		
Output Paper Capacity	100 sheets		
Black & White Scanning Speed	Up to 60 ppm/120 ipm (200 ppi, 300 ppi)		
Grayscale Scanning Speed	Up to 60 ppm/120 ipm (200 ppi, 300 ppi)		
Color Scanning Speed	Up to 60 ppm/120 ipm (200 ppi); Up to 45 ppm/90 ipm (color 300 ppi)		
Double-Feed Detection	Standard Ultrasonic Multi Feed Detection		
Skip Blank Page	Standard Blank Page Suppression		
Automatic Color Detection	Standard Automatic Color Detection		
Automatic Page Size Detection	Standard Automatic Page Size Detection and Cropping		
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials		
Power	100V to 240V AC 50/60 Hz (Dual Voltage)		
Energy Star	ENERGY STAR® Version 2.0 Qualified		
E-PEAT	EPEAT® Silver		
Dimensions	20.5 x 21 x 12.13 in		
Weight	44.5 lb		

Digital Printing and Imaging (DPI) Ordering Guide



[Product Table of Contents](#)

Color AFIN Document Scanner 110V			
Vendor: <i>Hewlett-Packard</i>			
OEM/Model:	Part Number:	CONUS	OCONUS
HP Digital Sender Flow 8500 fn1 Document Capture Workstation	L2719AB1K-HP	\$3,300.00	\$3,506.00
Key Attributes:			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention		
Client Operating System	No Operating System Requirements Network protocols: <ul style="list-style-type: none"> • IPv4/IPv6: Apple Bonjour Compatible, SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, WS Discovery, IPsec/Firewall • IPv6: DHCPv6, MLDv1, ICMPv6 • IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS 		
Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet		
Interfaces	Supports disabling or restricting access to USB interfaces. All remote administration and "call home" features may be disabled.		
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 		
Hard Drive Retention	Standard Hard Drive Retention		
Certification/Compliance	IPv6 Compliant DISA Multi-Function Device and Network Printers STIG Compliant DoD CAC Enabled with FIPS 201 and SHA-256 Compliance		
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)		
Input Paper Capacity	100 sheets		
Output Paper Capacity	100 sheets		
Black & White Scanning Speed	Up to 60 ppm/120 ipm (200 ppi, 300 ppi)		
Grayscale Scanning Speed	Up to 60 ppm/120 ipm (200 ppi, 300 ppi)		
Color Scanning Speed	Up to 60 ppm/120 ipm (200 ppi); Up to 45 ppm/90 ipm (color 300 ppi)		
Double-Feed Detection	Standard Ultrasonic Multi Feed Detection		
Skip Blank Page	Standard Blank Page Suppression		
Automatic Color Detection	Standard Automatic Color Detection		
Automatic Page Size Detection	Standard Automatic Page Size Detection and Cropping		
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials		
Power	100V to 240V AC 50/60 Hz (Dual Voltage)		
Energy Star	ENERGY STAR® Version 2.0 Qualified		
E-PEAT	EPEAT® Silver		
Dimensions	20.5 x 21 x 12.13 in		
Weight	44.5 lb		

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Vendor	Category	Product
<u>Coast to Coast</u> (SB)	BW Office 110V MFP	HP M527c
	BW Office 220V MFP	HP M527c
	BW Performance 110V MFP	HP M630z
	BW Performance 220V MFP	HP M630z
	Color Office 110V MFP	HP M577c
	Color Office 220V MFP	HP M577c
	Color Performance 110V MFP	HP M680z
	Color Performance 220V MFP	HP M680z
	Color 11X17 110V MFP	HP M775z
	Color 11X17 220V MFP	HP M775z
<u>HMS Technologies</u> (SB)	BW Office 110V MFP	Lexmark MX511de
	BW Office 220V MFP	Lexmark MX511de
	BW Performance 110V MFP	Lexmark MX710de
	BW Performance 220V MFP	Lexmark MX710de
	Color Office 110V MFP	Lexmark CX820de
	Color Office 220V MFP	Lexmark CX820de
	Color Performance 110V MFP	Lexmark CX825dte
	Color Performance 220V MFP	Lexmark CX825dte
	Color 11X17 110V MFP	Lexmark x952dte
	Color 11X17 220V MFP	Lexmark x952dte
<u>Hewlett-Packard</u> (LB)	BW Office 110V MFP	N/A
	BW Office 220V MFP	HP M527c
	BW Performance 110V MFP	HP M630z
	BW Performance 220V MFP	HP M630z
	Color Office 110V MFP	N/A
	Color Office 220V MFP	HP M577c
	Color Performance 110V MFP	HP M680z
	Color Performance 220V MFP	HP M680z
	Color 11X17 110V MFP	HP M775z
	Color 11X17 220V MFP	HP M775z
<u>Intelligent Decisions</u> (SB)	BW Office 110V MFP	Xerox 3655/YXM
	BW Office 220V MFP	Lexmark MX511de
	BW Performance 110V MFP	Xerox 4265/YSM
	BW Performance 220V MFP	Lexmark MX811de
	Color Office 110V MFP	Lexmark CX510de
	Color Office 220V MFP	Lexmark CX510de
	Color Performance 110V MFP	Lexmark CX825de
	Color Performance 220V MFP	Lexmark CX825de
	Color 11X17 110V MFP	Ricoh MP C2003G
	Color 11X17 220V MFP	Lexmark X950de

Digital Printing and Imaging (DPI) Ordering Guide



<u>Lexmark</u> (LB)	BW Office 110V MFP	N/A
	BW Office 220V MFP	Lexmark MX511de
	BW Performance 110V MFP	Lexmark MX811dtfe
	BW Performance 220V MFP	Lexmark MX811dtfe
	Color Office 110V MFP	N/A
	Color Office 220V MFP	Lexmark CX510de
	Color Performance 110V MFP	Lexmark CX860dte
	Color Performance 220V MFP	Lexmark CX860dte
	Color 11X17 110V MFP	Lexmark X954dhe
	Color 11X17 220V MFP	Lexmark X954dhe
	<u>NCS Technologies</u> (SB)	BW Office 110V MFP
BW Office 220V MFP		Lexmark MX611de
BW Performance 110V MFP		Lexmark MX810dtfe
BW Performance 220V MFP		Lexmark MX810dtfe
Color Office 110V MFP		Lexmark CX725de
Color Office 220V MFP		Lexmark CX725de
Color Performance 110V MFP		Lexmark CX820dtfe
Color Performance 220V MFP		Lexmark CX820dtfe
Color 11X17 110V MFP		Lexmark X950de
Color 11X17 220V MFP		Lexmark X950de

Digital Printing and Imaging (DPI) Ordering Guide



COAST TO COAST MFP

Black and White Office MFP 110V				
Vendor: <i>Coast-to-Coast</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP LaserJet Enterprise Flow M527c MFP	F2A81A201	\$2,530.43	\$2,981.88	
Key Attributes:				
TCO (per page)	\$0.025785			
CAC	DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Monochrome)	45 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 550-sheet tray 2 Tray 1: Letter, legal, statement, executive, oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch) Tray 2: letter, legal, statement, executive, oficio, 5 x 7, 5 x 8			
Output Capacity	250-sheet output bin, convenience stapler			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	110V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
EPEAT	EPEAT® Gold			
Dimensions	18.98 x 19.52 x 19.55 in			
Weight	48.6 lb			
Certifications	IPv6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant, CSEC CCRA Common Criteria In Evaluation			
Included in Base	Fax, encrypted hard drive			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
Paper Tray	HP LaserJet 550-sheet Paper Tray	F2A72A Open Market	\$180.00	\$216.00
Stand	HP LaserJet Printer Cabinet	F2A73A Open Market	\$222.00	\$266.40
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
HIGH YIELD TONER	HP 87X High Yield Black Original LaserJet Toner Cartridge 18,000 pages	CTC-62D0X0G-PSC2016	\$211.09	\$242.76

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Office MFP 220V				
Vendor: <i>Coast-to-Coast</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP LaserJet Enterprise Flow M527c MFP	F2A81AAAZ	\$2,530.43	\$2,981.88	
Key Attributes:				
TCO (per page)	\$0.030053			
CAC	DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Monochrome)	45 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 550-sheet tray 2 Tray 1: Letter, legal, statement, executive, oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch) Tray 2: letter, legal, statement, executive, oficio, 5 x 7, 5 x 8			
Output Capacity	50-sheet output bin, convenience stapler			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	220-240V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
EPEAT	EPEAT® Gold			
Dimensions	18.98 x 19.52 x 19.55 in			
Weight	48.6 lb			
Certifications	IPv6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant, CSEC CCRA Common Criteria In Evaluation			
Included in Base	Fax, encrypted hard drive			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
Paper Tray	HP LaserJet 550-sheet Paper Tray	F2A72A Open Market	\$180.00	\$216.00
Stand	HP LaserJet Printer Cabinet	F2A73A Open Market	\$222.00	\$266.40
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
HIGH YIELD TONER	HP 87X High Yield Black Original LaserJet Toner Cartridge 18,000 pages	CTC-CF287X-PSC2016	\$211.09	\$242.76

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 110V				
Vendor: <i>Coast-to-Coast</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP LaserJet Enterprise Flow M630z MFP	B3G86A201	\$4,727.75	\$6,677.34	
Key Attributes:				
TCO (per page)	\$0.017292			
CAC	DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Monochrome)	60 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 500-sheet trays 2, 3, and 4 and 1,500-sheet tray 5 and stand Letter, legal, 8.5 x 13 in, executive, envelopes; Custom: 3 x 5.83 in to 8.5 x 14 in			
Output Capacity	900-sheet, 3-bin stapling mailbox			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	110V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
EPEAT	EPEAT® Silver			
Dimensions	35.9 x 25.3 x 43.7 in			
Weight	201.1 lb			
Certifications	IPv6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant, CSEC CCRA Common Criteria Certified			
Included in Base	Additional paper tray, printer stand, encrypted hard drive, finisher, stapler, and stacker			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
HIGH YIELD TONER: Black	HP 81X High Yield Black Original LaserJet Toner Cartridge 25,000 pages	CTC-CF281X-PSC2016	\$127.48	\$142.48
Covered by Vendor for Four Years:				
Maintenance kit - Included in Base - 4 Year USAF DPI TCO Quantity				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 220V				
Vendor: <i>Coast-to-Coast</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP LaserJet Enterprise Flow M630z MFP	B3G86AAAZ	\$4,727.75	\$6,677.34	
Key Attributes:				
TCO (per page)	\$0.022954			
CAC	DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Monochrome)	60 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 500-sheet trays 2, 3, and 4 and 1,500-sheet tray 5 and stand Letter, legal, 8.5 x 13 in, executive, envelopes Custom: 3 x 5.83 in to 8.5 x 14 in			
Output Capacity	900-sheet, 3-bin stapling mailbox			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	220-240V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
EPEAT	EPEAT® Silver			
Dimensions	35.9 x 25.3 x 43.7 in			
Weight	201.1 lb			
Certifications	IPv6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant, CSEC CCRA Common Criteria Certified			
Included in Base	Additional paper tray, printer stand, encrypted hard drive, finisher, stapler, and stacker			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	HP 81X High Yield Black Original LaserJet Toner Cartridge 25,000 pages	CTC-CF281X-PSC2016	\$127.48	\$142.48
Covered by Vendor for Four Years:				
Maintenance kit - Included in Base - 4 Year USAF DPI TCO Quantity				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office MFP 110V				
Vendor: <i>Coast-to-Coast</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP Color LaserJet Enterprise Flow M577c MFP	B5L54A201	\$2,886.24	\$3,492.86	
Key Attributes:				
TCO (per page)	\$0.052696			
CAC	DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Color)	40 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 550-sheet tray 2 Tray 1: Letter, legal, statement, executive, oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch) Tray 2: letter, legal, statement, executive, oficio, 5 x 7, 5 x 8			
Output Capacity	250-sheet output bin, convenience stapler			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	110V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
EPEAT	EPEAT® Silver			
Dimensions	18.98 x 19.84 x 22.95 in			
Weight	85 lb			
Certifications	IPv6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant, CSEC CCRA Common Criteria Certified			
Fax	Standard Fax Capability: <ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 600 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	HP Color LaserJet 550-sheet Media Tray	B5L34A Open Market	\$223.10	\$267.72
ADDITIONAL CART/PEDESTAL OR STAND	HP Color LaserJet Printer Cabinet	B5L51A Open Market	\$250.70	\$300.84
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	HP 508X High Yield Black LaserJet Toner Cartridge 12,500 pages	CTC-CF360X-PSC2016	\$70.79	\$85.79
High Yield Toner : Cyan	HP 508X High Yield Cyan LaserJet Toner Cartridge 9,500 pages	CTC-CF361X-PSC2016	\$96.35	\$111.35

Digital Printing and Imaging (DPI) Ordering Guide



High Yield Toner : Magenta	HP 508X High Yield Magenta LaserJet Toner Cartridge 9,500 pages	CTC-CF363X- PSC2016	\$96.35	\$111.35
High Yield Toner : Yellow	HP 508X High Yield Yellow LaserJet Toner Cartridge 9,500 pages	CTC-CF362X- PSC2016	\$96.35	\$111.35
Covered by Vendor for Four Years:				
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity				
Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office MFP 220V				
Vendor: <i>Coast-to-Coast</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP Color LaserJet Enterprise Flow M577c MFP	B5L54AAAZ	\$2,886.24	\$3,492.86	
Key Attributes:				
TCO (per page)	\$0.061948			
CAC	DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Color)	40 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 550-sheet tray 2 Tray 1: Letter, legal, statement, executive, oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch) Tray 2: letter, legal, statement, executive, oficio, 5 x 7, 5 x 8			
Output Capacity	250-sheet output bin, convenience stapler			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	220-240V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
EPEAT	EPEAT® Silver			
Dimensions	18.98 x 19.84 x 22.95 in			
Weight	85 lb			
Certifications	IPv6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant, CSEC CCRA Common Criteria Certified			
Fax	Standard Fax Capability: <ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 600 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	HP Color LaserJet 550-sheet Media Tray	B5L34A Open Market	\$223.10	\$267.72
ADDITIONAL CART/PEDESTAL OR STAND	HP Color LaserJet Printer Cabinet	B5L51A Open Market	\$250.70	\$300.84
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	HP 508X High Yield Black LaserJet Toner Cartridge 12,500 pages	CTC-CF360X-PSC2016	\$70.79	\$85.79

Digital Printing and Imaging (DPI) Ordering Guide



High Yield Toner : Cyan	HP 508X High Yield Cyan LaserJet Toner Cartridge 9,500 pages	CTC-CF361X-PSC2016	\$96.35	\$111.35
High Yield Toner : Magenta	HP 508X High Yield Magenta LaserJet Toner Cartridge 9,500 pages	CTC-CF363X-PSC2016	\$96.35	\$111.35
High Yield Toner : Yellow	HP 508X High Yield Yellow LaserJet Toner Cartridge 9,500 pages	CTC-CF362X-PSC2016	\$96.35	\$111.35
Covered by Vendor for Four Years:				
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity				
Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 110 (CONUS)					
Vendor: <i>Coast-to-Coast</i>					
OEM/Model:	Part Number:	CONUS	OCONUS		
HP Color LaserJet Enterprise Flow M680z MFP	CZ250A201	\$4,928.49	\$6,020.34		
Key Attributes:					
TCO (per page)	\$0.058957				
CAC	DoD CAC Enabled with FIPS 201 and SHA-256 Compliance				
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention				
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet				
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 				
Duplex	Yes - Automatic (standard)				
Print Speed (Color)	45 ppm				
Print Resolution	1200 x 1200 dpi				
Input Capacity	100-sheet multipurpose tray 1, 500-sheet trays 2, 3, and 4 and 1,500-sheet tray 5 and stand Letter, legal, 8.5 x 13 in, executive, envelopes Custom: 3 x 5.83 in to 8.5 x 14 in				
Output Capacity	900-sheet, 3-bin stapling mailbox				
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP Every Page ultrasonic mis-feed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)				
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials; Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials				
Power	110V AC 50/60 Hz				
Energy Star	ENERGY STAR® Version 2.0 Qualified				
EPEAT	EPEAT® Silver				
Dimensions	40.2 x 26.8 x 46.5 in				
Weight	191.3 lb				
Certifications	IPv6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant, CSEC CCRA Common Criteria Certified				
Fax	Standard Fax Capability: <ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 500 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 				
Included in base	Paper tray, printer stand, hard drive with encryption capability, finisher, stapler, stacker, fax				
Consumables:					
Type	Description	Part Number	CONUS	OCONUS	
High Yield Toner : Black	HP 653X High Yield Black Original LaserJet Toner Cartridge 21,000 pages	CTC-CF320X-PSC2016	\$213.68	\$228.69	
Standard Yield Toner : Cyan	HP 653A Cyan Original LaserJet Toner Cartridge 16,500 pages	CTC-CF321A-PSC2016	\$286.28	\$301.28	
Standard Yield Toner : Magenta	HP 653A Magenta Original LaserJet Toner Cartridge 16,500 pages	CTC-CF323A-PSC2016	\$286.28	\$301.28	

Digital Printing and Imaging (DPI) Ordering Guide



Standard Yield Toner : Yellow	HP 653A Yellow Original LaserJet Toner Cartridge 16,500 pages	CTC-CF322A-PSC2016	\$286.28	\$301.28
Covered by Vendor for Four Years:				
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity				
ITU Maintenance - Included in Base - 4 Year USAF DPI TCO Quantity				
Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 220V				
Vendor: <i>Coast-to-Coast</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP Color LaserJet Enterprise Flow M680z MFP	CZ250AAAZ	\$4,928.49	\$6,020.34	
Key Attributes:				
TCO (per page)	\$0.065694			
CAC	DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Warranty	4-Year, Onsite, Next Business Day (NBD), Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Color)	45 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 500-sheet trays 2, 3, and 4 and 1,500-sheet tray 5 and stand Letter, legal, 8.5 x 13 in, executive, envelopes Custom: 3 x 5.83 in to 8.5 x 14 in			
Output Capacity	900-sheet, 3-bin stapling mailbox			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials; Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	220V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
EPEAT	EPEAT® Silver			
Dimensions	40.2 x 26.8 x 46.5 in			
Weight	191.3 lb			
Certifications	IPv6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant, CSEC CCRA Common Criteria Certified			
Fax	Standard Fax Capability: <ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 500 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 			
Included in base	Paper tray, printer stand, hard drive with encryption capability, finisher, stapler, stacker, fax			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	HP 653X High Yield Black Original LaserJet Toner Cartridge 21,000 pages	CTC-CF320X-PSC2016	\$213.68	\$228.69
Standard Yield Toner : Cyan	HP 653A Cyan Original LaserJet Toner Cartridge 16,500 pages	CTC-CF321A-PSC2016	\$286.28	\$301.28
Standard Yield Toner : Magenta	HP 653A Magenta Original LaserJet Toner Cartridge 16,500 pages	CTC-CF323A-PSC2016	\$286.28	\$301.28

Digital Printing and Imaging (DPI) Ordering Guide



Standard Yield Toner : Yellow	HP 653A Yellow Original LaserJet Toner Cartridge 16,500 pages	CTC-CF322A-PSC2016	\$286.28	\$301.28
Covered by Vendor for Four Years:				
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity				
ITU Maintenance - Included in Base - 4 Year USAF DPI TCO Quantity				
Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color 11X17 MFP 110V				
Vendor: <i>Coast-to-Coast</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP Color LaserJet Enterprise M775z MFP	CC524A201	\$5,204.77	\$6,572.79	
Key Attributes:				
TCO (per page)	\$0.062083			
CAC	CAC Enabled			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Color)	30 ppm			
Print Resolution	600 x 600 dpi (color and black-only); HP ImageREt 3600			
Input Capacity	100-sheet multipurpose tray, 250-sheet tray 2, 3 x 500-sheet feeder tray with cabinet for tray 3, 4, and 5; Letter, letter-R, executive, legal, 8.5 x 13 in, 11 x 17 in; Custom: 3 x 5 in to 12.6 x 18.5 in			
Print 11X17 (A3, TABLOID)	Capable of printing 11 X 17 (Tabloid) (standard)			
Output Capacity	250-sheet output tray; 500-sheet inline stapler/stacker with job offset			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: Color, Duplex, Legal-size File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials; Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	110V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
EPEAT	EPEAT® Silver			
Dimensions	29.3 x 26.3 x 47.2 in			
Weight	237.4 lb			
Certifications	IPv6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant, CSEC CCRA Common Criteria Certified			
Fax	Standard Fax Capability: <ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 500 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 			
Included in base	Paper tray, printer stand, hard drive with encryption capability, finisher, stapler, stacker, fax			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
Standard Yield Toner : Black	HP 651A Black LaserJet Toner Cartridge 13,500 pages	CTC-CE340AG-PSC2016	\$104.80	\$119.80
Standard Yield Toner : Cyan	HP 651A Cyan LaserJet Toner Cartridge 16,000 pages	CTC-CE341AG-PSC2016	\$255.99	\$270.99
Standard Yield Toner : Magenta	HP 651A Magenta LaserJet Toner Cartridge 16,000 pages	CTC-CE343AG-PSC2016	\$255.99	\$270.99
Standard Yield Toner : Yellow	HP 651A Yellow LaserJet Toner Cartridge 16,000 pages	CTC-CE342AG-PSC2016	\$255.99	\$270.99

Digital Printing and Imaging (DPI) Ordering Guide



Covered by Vendor for Four Years:
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity
ITU Maintenance - Included in Base - 4 Year USAF DPI TCO Quantity
Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color 11X17 MFP 220V				
Vendor: <i>Coast-to-Coast</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP Color LaserJet Enterprise M775z MFP	CC524AAAZ	\$5,204.77	\$6,572.79	
Key Attributes:				
TCO (per page)	\$0.062083			
CAC	CAC Enabled			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Color)	30 ppm			
Print Resolution	600 x 600 dpi (color and black-only); HP ImageREt 3600			
Input Capacity	100-sheet multipurpose tray, 250-sheet tray 2, 3 x 500-sheet feeder tray with cabinet for tray 3, 4, and 5; Letter, letter-R, executive, legal, 8.5 x 13 in, 11 x 17 in; Custom: 3 x 5 in to 12.6 x 18.5 in			
Print 11X17 (A3, TABLOID)	Capable of printing 11 X 17 (Tabloid) (standard)			
Output Capacity	250-sheet output tray; 500-sheet inline stapler/stacker with job offset			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: Color, Duplex, Legal-size File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials; Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	110V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
EPEAT	EPEAT® Silver			
Dimensions	29.3 x 26.3 x 47.2 in			
Weight	237.4 lb			
Certifications	IPv6 Compliant, DISA Multi-Function Device and Network Printers STIG Compliant, CSEC CCRA Common Criteria Certified			
Fax	Standard Fax Capability: <ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 500 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 			
Included in base	Paper tray, printer stand, hard drive with encryption capability, finisher, stapler, stacker, fax			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
Standard Yield Toner : Black	HP 651A Black LaserJet Toner Cartridge 13,500 pages	CTC-CE340AG-PSC2016	\$104.80	\$119.80
Standard Yield Toner : Cyan	HP 651A Cyan LaserJet Toner Cartridge 16,000 pages	CTC-CE341AG-PSC2016	\$255.99	\$270.99
Standard Yield Toner : Magenta	HP 651A Magenta LaserJet Toner Cartridge 16,000 pages	CTC-CE343AG-PSC2016	\$255.99	\$270.99
Standard Yield Toner : Yellow	HP 651A Yellow LaserJet Toner Cartridge 16,000 pages	CTC-CE342AG-PSC2016	\$255.99	\$270.99

Digital Printing and Imaging (DPI) Ordering Guide



Covered by Vendor for Four Years:
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity
ITU Maintenance - Included in Base - 4 Year USAF DPI TCO Quantity
Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



HMS TECHNOLOGIES MFP

Black and White Office MFP 110V				
Vendor: <i>HMS Technologies</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark MX511de	35ST265	\$ 1,341.99	\$1,734.95	
Key Attributes:				
TCO (per page)	\$0.01849			
CAC	Yes - Standard			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	One Internal Card Slot, USB 2.0 Specification, Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification HiSpeed Certified Port (Type A), Rear USB 2.0, Specification Hi-Speed Certified Port (Type A)			
Hard Drive	A 160GB hard drive is available as an option			
Duplex	Unit has internal duplex for printing and scanning			
Print Speed (Monochrome)	45 ppm			
Print Resolution	Print Resolution, Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi			
Input Capacity	Paper Input Capacity, Standard: Up to 350 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum: Up to 2000 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard: Up to 150 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum: Up to 150 pages 20 lb or 75 gsm bond			
Scanning	Scan File Formats (Send as) JPEG, JPG, PDF, Secure PDF, TIFF, XPS, Archival, PDF (A-1a, A-1b), Searchable PDF (optional OCR with 1GB RAM and hard disk required), Highly compressed PDF (1GB RAM and hard disk required)			
Digital Sending	Common Access Card (CAC) authentication, Scan Destinations: e-mail, FTP, USB Flash drive, USB or Network connected computer, Lexmark Document Solutions Suite (LDSS)			
Power	110V			
Energy Star	YES			
E-PEAT	SILVER			
Dimensions	19.8 x 19.3 x 17.8 in.			
Weight	48 lbs.			
Certifications	802.1x authentication, IP filtering, IPsec, IPv6, Network authentication, SNMPv3, Secure Fax Receive, Secure HTTPS (SSL), Secure LDAP, Secure Print, STIG Compliant Lexmark devices are fully compliant and can be configured to meet DISA MFD and Network Printer STIG v2r8 (dated January 2016) DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance, Yes - Standard Compliant (IEEE 2600.2 standard)			
Fax	Lexmark devices are compliant with fax isolation and certified by NIAP Common Criteria. Fax can be disabled on any model with fax capability.			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
Encrypted Hard Drive	160+ GB Hard Disk	HMS-27X0210-35ST265-PSC2016	\$343.68	\$348.68
ADDITIONAL PAPER TRAY	550-Sheet Tray	HMS-35S0567-35ST265-PSC2016	\$170.52	\$175.52
ADDITIONAL CART/PEDESTAL OR STAND	Adjustable printer stand	HMS-35S8502-35ST265-PSC2016	\$245.56	\$250.56
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
HIGH YIELD TONER	High Yield Toner : Black	HMS-60F0X0G-35ST265-PSC2016	\$213.64	\$218.64
STANDARD YIELD TONER	Standard Yield Toner : Black	HMS-60F0H0G-35ST265-PSC2016	\$194.60	\$199.60
Imaging Unit, Black	Imaging Unit, Black	HMS-50F0Z0G-35ST265-PSC2016	\$31.85	\$36.85
Covered by Vendor for Four Years:				
Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Office MFP 220V				
Vendor: <i>HMS Technologies</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark MX511de	35ST264	\$ 1,341.99	\$1,734.95	
Key Attributes:				
TCO (per page)	\$0.02098			
CAC	Yes - Standard			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	One Internal Card Slot, USB 2.0 Specification, Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification HiSpeed Certified Port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A)			
Hard Drive	A 160GB hard drive is available as an option			
Duplex	Unit has internal duplex for printing and scanning			
Print Speed (Monochrome)	45 ppm			
Print Resolution	Print Resolution, Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi			
Input Capacity	Paper Input Capacity, Standard: Up to 350 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum: Up to 2000 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard: Up to 150 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum: Up to 150 pages 20 lb or 75 gsm bond			
Scanning	Scan File Formats (Send as) JPEG, JPG, PDF, Secure PDF, TIFF, XPS, Archival, PDF (A-1a, A-1b), Searchable PDF (optional OCR with 1GB RAM and hard disk required),, Highly compressed PDF (1GB RAM and hard disk required)			
Digital Sending	Common Access Card (CAC) authentication, Scan Destinations: e-mail, FTP, USB Flash drive, USB or Network connected computer, Lexmark Document Solutions Suite (LDSS)			
Power	220V			
Energy Star	YES			
E-PEAT	SILVER			
Dimensions	19.8 x 19.3 x 17.8 in.			
Weight	48 lb.			
Certifications	802.1x authentication, IP filtering, IPSec, IPv6, Network authentication, SNMPv3, Secure Fax Receive, Secure HTTPS (SSL), Secure LDAP, Secure Print, STIG Compliant Lexmark devices are fully compliant and can be configured to meet DISA MFD and Network Printer STIG v2r8 (dated January 2016) Compliant (IEEE 2600.2 standard) DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance Standard			
Fax	Lexmark devices are compliant with fax isolation and certified by NIAP Common Criteria. Fax can be disabled on any model with fax capability.			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ENCRYPTED HARD DRIVE	160GB Hard Disk	HMS-27X0210-35ST264-PSC2016	\$343.68	\$348.68
ADDITIONAL PAPER TRAY	550-Sheet Tray	HMS-35S0567-35ST264-PSC2016	\$170.52	\$175.52
ADDITIONAL CART/PEDESTAL OR STAND	Printer Stand	HMS-35S8502-35ST264-PSC2016	\$245.56	\$250.56
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Toner 20K	HMS-60FOX0G-35ST264-PSC2016	\$213.64	\$218.64
Standard Yield Toner : Black	Toner (10K)	HMS-60F0H0G-35ST264-PSC2016	\$194.60	\$199.60
Imaging Unit, Black	Imaging Unit/PC (60K)	HMS-50F0Z0G-35ST264-PSC2016	\$31.85	\$36.85
Covered by Vendor for Four Years:				
Fuser - 220V Fuser Maintenance Kit (200K); this item will be supplied through warranty - 40X9136				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 110V				
Vendor: <i>HMS Technologies</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark MX710de	24TT816	\$2,359.14	\$3,149.14	
Key Attributes:				
TCO (per page)	\$0.01294			
CAC	Yes - Standard			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification HiSpeed Certified Port (Type A), Two Rear USB 2.0, Specification Hi-Speed Certified ports (Type A)			
Hard Drive	A 320GB hard drive is available as an option			
Duplex	Integrated Duplex			
Print Speed (Monochrome)	63 ppm			
Print Resolution	Print Resolution, Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi			
Input Capacity	Paper Input Capacity, Standard: Up to 650 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum: Up to 3300 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard: Up to 550 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum: Up to 550 pages 20 lb or 75 gsm bond			
Scanning	Scan File Formats (Send as) JPEG, JPG, PDF, Secure PDF, TIFF, XPS, Archival PDF (A-1a, A-1b), Searchable PDF (optional OCR with 1GB RAM and hard disk required), Highly compressed PDF (1GB RAM and hard disk required)			
Digital Sending	Common Access Card (CAC) authentication, Scan Destinations: e-mail, FTP, USB Flash drive, USB or Network connected computer, Lexmark Document Solutions Suite (LDSS)			
Power	110V			
Energy Star	YES			
E-PEAT	GOLD			
Dimensions	28.6 x 21.6 x 22.8 in.			
Weight	95.4 lb.			
Certifications	802.1x authentication, IP filtering, IPsec, IPv6, Network authentication, SNMPv3, Secure Fax Receive, Secure HTTPS (SSL), Secure LDAP, Secure Print, STIG Compliant Lexmark devices are fully compliant and can be configured to meet DISA MFD and Network Printer STIG v2r8 (dated January 2016) Compliant (IEEE 2600.2 standard) DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance standard			
Fax	Lexmark devices are compliant with fax isolation and certified by NIAP Common Criteria. Fax can be disabled on any model with fax capability.			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ENCRYPTED HARD DRIVE	320GB Hard Disk	HMS-27X0200-24TT816-PSC2016	\$359.43	\$364.43
ADDITIONAL PAPER TRAY	550-Sheet Tray	HMS-40G0802-24TT816-PSC2016	\$221.39	\$226.39
ADDITIONAL CART/PEDESTAL OR STAND	Caster Base	HMS-40G0855-24TT816-PSC2016	\$267.18	\$272.18
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Toner (45K)	HMS-62D0X0G-24TT816-PSC2016	\$212.57	\$217.57
Standard Yield Toner : Black	Toner (25K)	HMS-62D0H0G-24TT816-PSC2016	\$278.10	\$288.10
Imaging Unit, Black	Imaging Unit (100K)	HMS-52D0Z0G-24TT816-PSC2016	\$ 35.08	\$ 40.08
Covered by Vendor for Four Years:				
Fuser - 110V Fuser Maintenance Kit (200K); this item will be supplied through warranty - 40X8420				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 220V					
Vendor: HMS Technologies					
OEM/Model:	Part Number:	CONUS	OCONUS		
Lexmark MX710de	24TT812	\$2,359.14	\$3,149.14		
Key Attributes:					
TCO (per page)	\$0.01527				
CAC	Yes - Standard				
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.				
Network Connectivity	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification HiSpeed Certified Port (Type A), Two Rear USB 2.0, Specification Hi-Speed Certified ports (Type A)				
Hard Drive	A 320GB hard drive is available as an option				
Duplex	Integrated Duplex				
Print Speed (Monochrome)	63 ppm				
Print Resolution	Print Resolution, Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi				
Input Capacity	Paper Input Capacity, Standard: Up to 650 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum: Up to 3300 pages 20 lb or 75 gsm bond				
Output Capacity	Paper Output Capacity, Standard: Up to 550 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum: Up to 550 pages 20 lb or 75 gsm bond				
Scanning	Scan File Formats (Send as) JPEG, JPG, PDF, Secure PDF, TIFF, XPS, Archival PDF (A-1a, A-1b), Searchable PDF (optional OCR with 1GB RAM and hard disk required), Highly compressed PDF (1GB RAM and hard disk required)				
Digital Sending	Common Access Card (CAC) authentication, Scan Destinations: e-mail, FTP, USB Flash drive, USB or Network connected computer, Lexmark Document Solutions Suite (LDSS)				
Power	220V				
Energy Star	YES				
E-PEAT	GOLD				
Dimensions	28.6 x 21.6 x 22.8 in.				
Weight	95.4 lb.				
Certifications	802.1x authentication, IP filtering, IPsec, IPv6, Network authentication, SNMPv3, Secure Fax Receive, Secure HTTPS (SSL), Secure LDAP, Secure Print, STIG Compliant Lexmark devices are fully compliant and can be configured to meet DISA MFD and Network Printer STIG v2r8 (dated January 2016) Compliant (IEEE 2600.2 standard) DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance				
Fax	Lexmark devices are compliant with fax isolation and certified by NIAP Common Criteria. Fax can be disabled on any model with fax capability.				
Upgrades:					
Type	Description	Part Number	CONUS	OCONUS	
ENCRYPTED HARD DRIVE	320GB Hard Disk	HMS-27X0200-24TT812-PSC2016	\$359.43	\$364.43	
ADDITIONAL PAPER TRAY	550 Sheet Tray	HMS-40G0802-24TT812-PSC2016	\$221.39	\$226.39	
ADDITIONAL CART/PEDESTAL OR STAND	Caster Base	HMS-40G0855-24TT812-PSC2016	\$267.18	\$272.18	
Consumables:					
Type	Description	Part Number	CONUS	OCONUS	
High Yield Toner : Black	Toner (45K)	HMS-62D0X0G-24TT812-PSC2016	\$212.57	\$217.57	
Standard Yield Toner : Black	Toner (25K)	HMS-62D0H0G-24TT812-PSC2016	\$278.10	\$288.10	
Imaging Unit, Black	Imaging Unit (100K)	HMS-52D0Z0G-24TT812-PSC2016	\$ 35.08	\$ 40.08	
Covered by Vendor for Four Years:					
Fuser - 220V Fuser Maintenance Kit (200K); this item will be supplied through warranty - 40X8424					

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office MFP 110V				
Vendor: HMS Technologies				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark CX820de	42KT076	\$3,014.23	\$4,002.35	
Key Attributes:				
TCO (per page)	\$0.04582			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	One Internal Card Slot, USB 2.0 Specification, Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Two Rear USB 2.0 Specification HiSpeed Certified ports (Type A), Two Front USB 2.0 Specification Hi-Speed Certified port (Type A)			
Hard Drive	A 320GB, 5200RPM, SATA 2 hard drive is included			
Duplex	Integrated Duplex			
Print Speed (Color)	52ppm			
Print Resolution	Print Resolution, Black 1200 x 1200 dpi4800 Color Quality (2400 x 600 dpi) Print Resolution. Color 1200 x 1200 dpi4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Paper Input Capacity, Standard Up to 650 pages 20 lb or 75 gsm bond. Paper Input Capacity, Maximum Up to 4500 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard Up to 300 pages 20 lb or 75 gsm bond. Paper Output Capacity, Maximum Up to 300 pages 20 lb or 75 gsm bond			
Scanning	Scan File Formats (Send as): JPEG, JPG, PDF, Secure PDF, TIFF, XPS, Archival PDF (A-1a, A-1b), Searchable PDF (optional OCR with 1GB RAM and hard disk required) Highly compressed PDF (1GB RAM and hard disk required).			
Digital Sending	Common Access Card (CAC) authentication, Scan Destinations: e-mail, FTP, USB Flash drive, USB or Network connected computer, Lexmark Document Solutions Suite (LDSS)			
Power	110V			
Energy Star	Yes			
E-PEAT	GOLD			
Dimensions	30 x 22 x 23.15 in			
Weight	181lb			
Certifications	802.1x authentication, IP filtering, IPsec, IPv6, Network authentication, SNMPv3, Secure Fax Receive, Secure HTTPS (SSL), Secure LDAP, Secure Print, STIG Compliant Lexmark devices are fully compliant and can be configured to meet DISA MFD and Network Printer STIG v2r8 (dated January 2016) Compliant (IEEE 2600.2 standard) DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance standard			
Fax	Lexmark devices are compliant with fax isolation and certified by NIAP Common Criteria. Fax can be disabled on any model with fax capability.			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	550 Sheet Tray	HMS-21K0567-42KT076-PSC2016	\$259.32	\$264.32
ADDITIONAL CART/PEDESTAL OR STAND	Caster Base	HMS-21K2501-42KT076- PSC2016	\$306.58	\$311.58
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
Imaging Unit, Black	Black Imaging Unit (175K)	HMS-72K0P0G-42KT076-PSC2016	\$62.35	\$ 67.35
Imaging Unit, Cyan, Magenta, Yellow	Color Imaging Unit (175K)	HMS-72K0Q0G-42KT076-PSC0216	\$171.16	\$ 176.16
High Yield Toner : Black	Toner (yield 33,000)	HMS-72K0XKG-42KT076-PSC2016	\$307.17	\$312.17
High Yield Toner : Cyan	Toner (yield 22,000)	HMS-72K0XCG-42KT076-PSC2016	\$437.74	\$442.74
High Yield Toner : Magenta	Toner (yield 22,000)	HMS-72K0XMG-42KT076-PSC2016	\$437.74	\$442.74
High Yield Toner : Yellow	Toner (yield 22,000)	HMS-72K0XYG-42KT076-PSC2016	\$437.74	\$442.74
Covered by Vendor for Four Years:				
Fuser Maintenance Kit 110-120V (300K), ADF Maintenance Kit – 41X0928				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office MFP 220V				
Vendor: <i>HMS Technologies</i>				
OEM/Model:	Part Number:		OCONUS	
Lexmark CX820de	42KT081		\$4,002.35	
Key Attributes:				
TCO (per page)	\$0.05121			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	One Internal Card Slot, USB 2.0 Specification, Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Two Rear USB 2.0 Specification HiSpeed Certified ports (Type A), Two Front USB, 2.0 Specification Hi-Speed Certified port (Type A)			
Hard Drive	A 160GB, 5200RPM, SATA 2 hard drive is included.			
Duplex	Integrated Duplex			
Print Speed (Color)	52ppm			
Print Resolution	Print Resolution, Black 1200 x 1200 dpi4800 Color Quality (2400 x 600 dpi) Print Resolution. Color 1200 x 1200 dpi4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Paper Input Capacity, Standard Up to 650 pages 20 lb or 75 gsm bond. Paper Input Capacity, Maximum Up to 4500 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard Up to 300 pages 20 lb or 75 gsm bond. Paper Output Capacity, Maximum Up to 300 pages 20 lb or 75 gsm bond			
Scanning	Scan File Formats (Send as): JPEG, JPG, PDF, Secure PDF, TIFF, XPS, Archival PDF (A-1a, A-1b), Searchable PDF (optional OCR with 1GB RAM and hard disk required) Highly compressed PDF (1GB RAM and hard disk required).			
Digital Sending	Common Access Card (CAC) authentication, Scan Destinations: e-mail, FTP, USB Flash drive, USB or Network connected computer, Lexmark Document Solutions Suite (LDSS)			
Power	220V			
Energy Star	Yes			
E-PEAT	GOLD			
Dimensions	30 x 22 x 23.15 in			
Weight	181lb			
Certifications	802.1x authentication, IP filtering, IPSec, IPv6, Network authentication, SNMPv3, Secure Fax Receive, Secure HTTPS (SSL), Secure LDAP, Secure Print, STIG Compliant Lexmark devices are fully compliant and can be configured to meet DISA MFD and Network Printer STIG v2r8 (dated January 2016) Compliant (IEEE 2600.2 standard) DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance standard			
Fax	Lexmark devices are compliant with fax isolation and certified by NIAP Common Criteria. Fax can be disabled on any model with fax capability.			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	550 Sheet Tray	HMS-21K2501-42KT081-PSC2016	\$259.32	\$264.32
ADDITIONAL CART/PEDESTAL OR STAND	Caster Base	HMS-21K0567-42KT081-PSC2016	\$306.58	\$311.58
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
Imaging Unit, Black	Black Imaging Unit (175K)	HMS-72K0P0G-42KT081-PSC2016	\$62.35	\$ 67.35
Imaging Unit, Cyan, Magenta, Yellow	Color Imaging Unit (175K)	HMS-72K0Q0G-42KT081-PSC2016	\$171.16	\$ 176.16
High Yield Toner : Black	Toner (yield 33,000)	HMS-72K0XKG-42KT081-PSC2016	\$307.17	\$312.17
High Yield Toner : Cyan	Toner (yield 22,000)	HMS-72K0XCG-42KT081-PSC2016	\$437.74	\$442.74
High Yield Toner : Magenta	Toner (yield 22,000)	HMS-72K0XMG-42KT081-PSC2016	\$437.74	\$442.74
High Yield Toner : Yellow	Toner (yield 22,000)	HMS-72K0XYG-42KT081-PSC2016	\$437.74	\$442.74
Covered by Vendor for Four Years:				
Fuser Maintenance Kit (300K) – 41X0247, ADF Maintenance Kit – 41X0931				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 110V				
Vendor: <i>HMS Technologies</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark CX825dte	42KT079	\$4,511.13	\$5,580.55	
Key Attributes:				
TCO (per page)	\$0.03883			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time			
Network Connectivity	One Internal Card Slot, USB 2.0 Specification, Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A), Two Front USB, 2.0 Specification Hi-Speed Certified port (Type A)			
Hard Drive	A 320GB, 5200RPM, SATA 2 hard drive is included.			
Duplex	Integrated Duplex			
Print Speed (Color)	55 ppm			
Print Resolution	Print Resolution, Black: 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi) Print Resolution, Color: 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Paper Input Capacity, Standard: Up to 1750 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum: Up to 4500 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard: Up to 300 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum: Up to 300 pages 20 lb or 75 gsm bond			
Scanning	Scan File Formats (Send as): JPEG, JPG, PDF, Secure PDF, TIFF, XPS, Archival PDF (A-1a, A-1b), Searchable PDF (optional OCR with 1GB RAM and hard disk required), Highly compressed PDF (1GB RAM and hard disk required)			
Digital Sending	Common Access Card (CAC) authentication, Scan Destinations: e-mail, FTP, USB Flash drive, USB or Network connected computer, Lexmark Document Solutions Suite (LDSS)			
Power	110V			
Energy Star	YES			
E-PEAT	GOLD			
Dimensions	45.8 x 25.82 x 23.15 in			
Weight	298.9 lb.			
Certifications	IPv6 supported			
	Lexmark devices are fully compliant and can be configured to meet DISA MFD and Network Printer STIG v2r8 (dated January 2016)			
	Compliant (IEEE 2600.2 standard)			
	DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance standard			
Fax	Lexmark devices are compliant with fax isolation and certified by NIAP Common Criteria. Fax can be disabled on any model with fax capability.			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	550 Sheet Tray	HMS-21K0567-42KT079-PSC2016	\$259.32	\$264.32
STAPLER	CX825/CX860 Inline Staple Finisher	HMS-42K2300-42KT079-PSC2016	\$306.58	\$311.58
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Toner (yield 33,000)	HMS-72K0XKG-42KT079-PSC2016	\$307.17	\$312.17
High Yield Toner : Cyan	Toner (yield 22,000)	HMS-72K0XCG-42KT079-PSC2016	\$437.74	\$442.74
High Yield Toner : Magenta	Toner (yield 22,000)	HMS-72K0XMG-42KT079-PSC2016	\$437.74	\$442.74
High Yield Toner : Yellow	Toner (yield 22,000)	HMS-72K0XYG-42KT079-PS2016	\$437.74	\$442.74
Imaging Unit, Black	Black Imaging Unit (175K)	HMS-72K0P0G-42KT079-PSC2016	\$62.35	\$67.35
Imaging Unit, Cyan, Magenta, Yellow	Color Imaging Unit (175K)	HMS-72K0Q0G-42KT079-PSC2016	\$ 171.16	\$176.16
Covered by Vendor for Four Years:				
Fuser Maintenance Kit (300K) – 41X0247, ADF Maintenance Kit – 41X0931				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 220V				
Vendor: <i>HMS Technologies</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark CX825dte	42KT084	\$4,511.73	\$5,580.55	
Key Attributes:				
TCO (per page)	\$0.04197			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	One Internal Card Slot, USB 2.0 Specification, Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A), Two Front USB, 2.0 Specification Hi-Speed Certified port (Type A)			
Hard Drive	A 320GB, 5200RPM, SATA 2 hard drive is included.			
Duplex	Integrated Duplex			
Print Speed (Color)	55 ppm			
Print Resolution	Print Resolution, Black: 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi) Print Resolution, Color: 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Paper Input Capacity, Standard: Up to 1750 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum: Up to 4500 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard: Up to 300 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum: Up to 300 pages 20 lb or 75 gsm bond			
Scanning	Scan File Formats (Send as): JPEG, JPG, PDF, Secure PDF, TIFF, XPS, Archival PDF (A-1a, A-1b), Searchable PDF (optional OCR with 1GB RAM and hard disk required), Highly compressed PDF (1GB RAM and hard disk required)			
Digital Sending	Common Access Card (CAC) authentication, Scan Destinations: e-mail, FTP, USB Flash drive, USB or Network connected computer, Lexmark Document Solutions Suite (LDSS)			
Power	220V			
Energy Star	YES			
E-PEAT	GOLD			
Dimensions	45.8 x 25.82 x 23.15 in			
Weight	298.9 lb.			
Certifications	IPv6 supported Lexmark devices are fully compliant and can be configured to meet DISA MFD and Network Printer STIG v2r8 (dated January 2016) Compliant (IEEE 2600.2 standard) Yes - Standard			
Fax	Lexmark devices are compliant with fax isolation and certified by NIAP Common Criteria. Fax can be disabled on any model with fax capability.			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	550 Sheet Tray	HMS-21K0567-42KT079-PSC2016	\$259.32	\$264.32
STAPLER	CX825/CX860 Inline Staple Finisher	HMS-42K2300-42KT079-PSC2016	\$306.58	\$311.58
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Toner (yield 33,000)	HMS-72K0XKG-42KT079-PSC2016	\$307.17	\$312.17
High Yield Toner : Cyan	Toner (yield 22,000)	HMS-72K0XCG-42KT079-PSC2016	\$437.74	\$442.74
High Yield Toner : Magenta	Toner (yield 22,000)	HMS-72K0XMG-42KT079-PSC2016	\$437.74	\$442.74
High Yield Toner : Yellow	Toner (yield 22,000)	HMS-72K0XYG-42KT079-PS2016	\$437.74	\$442.74
Imaging Unit, Black	Black Imaging Unit (175K)	HMS-72K0POG-42KT079-PSC2016	\$62.35	\$67.35
Imaging Unit, Cyan, Magenta, Yellow	Color Imaging Unit (175K)	HMS-72K0Q0G-42KT079-PSC2016	\$ 171.16	\$176.16
Covered by Vendor for Four Years:				
Fuser Maintenance Kit (300K) – 41X0247, ADF Maintenance Kit – 41X0931				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color 11X17 MFP 110V				
Vendor: <i>HMS Technologies</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark x952dte	22ZT248	\$11,077.69	\$13,071.17	
Key Attributes:				
TCO (per page)	\$0.05310			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	Gigabit Ethernet (10/100/1000)			
Hard Drive	1A 320GB, 5200RPM, SATA 2 hard drive is included. FIPS 140-2 Compliant AES 256 Encryption Capable			
Duplex	Integrated Duplex			
Print Speed (Color)	Printing : up to 50 ppm (Letter A) - B/W, Printing : up to 45 ppm (Letter A) - color Printing : up to 50 spm (Letter A) - B/W duplex Copying : up to 50 ppm (Letter A) - B/W, Copying : up to 50 ppm (Letter A) - color Scanning : up to 68 spm (A4) - B/W, Scanning : up to 52 spm (Letter A) - B/W Scanning : up to 38 spm (A4) – color, Scanning : up to 37 spm (Letter A) - color			
Print Resolution	1200 x 1200 dpi			
Input Capacity	Up to 4180 pages 20 lb or 75 gsm bond			
PRINT 11 x 17 (A3, TABLOID)	Yes			
Output Capacity	Up to 3750 pages 20 lb or 75 gsm bond			
Scanning	All noted scanning file types are supported.			
Digital Sending	Common Access Card (CAC) authentication, scan to e-mail, scan to folder, scan to network; SSL, LEAP, TLS, IPsec, 802.1x, ARP Security			
Power	110V AC 50/60 Hz			
Energy Star	Yes - Version 2.0			
E-PEAT	Bronze			
Dimensions	30.01 x 25.20 x 26.97 in.			
Weight	255.8 lb			
Certifications	IPV6 capable Lexmark devices are fully compliant and can be configured to meet DISA MFD and Network Printer STIG v2r8 (dated January 2016) Lexmark's MFDs are certified by the National Information Assurance Partnership (NIAP) as being compliant with the Common Criteria standards of certification, which evaluate the conformance of IT products to international standards. Lexmark MFDs have been engineered and constructed to provide a comprehensive and robust set of security protections to ensure that all aspects of your output environment are well protected when optimized with Lexmark technology. Lexmark devices with CAC capability are compliant with FIPS 201			
Fax	Lexmark devices are compliant with fax isolation and certified by NIAP Common Criteria. Fax can be disabled on any model with fax capability			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
FINISHER	Standard Finisher- 3 Hole	HMS-22Z0016-22ZT248-PSC2016	\$1,390.12	\$1,395.12
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Black Cartridge (32K)	HMS-C950X2KG-22ZT248-PSC2016	\$126.41	\$131.41
High Yield Toner : Cyan	Cyan Cartridge (22K)	HMS-C950X2CG-22ZT248-PSC2016	\$223.72	\$233.72
High Yield Toner : Magenta	Magenta Cartridge (22K)	HMS-C950X2MG-22ZT248-PSC2016	\$223.72	\$233.72
High Yield Toner : Yellow	Yellow Cartridge (22K)	HMS-C950X2YG-22ZT248-PSC2016	\$223.72	\$233.72
Waste Toner Bottle / Toner Collection Kit	Waste Toner Bottle	HMS-C950X76G-22ZT248-PSC2016	\$ 12.95	\$17.95
Covered by Vendor for Four Years:				
110V Fuser Maintenance Kit (320K); this item will be supplied through warranty – 40X7550				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color 11X17 MFP 220V				
Vendor: <i>HMS Technologies</i>				
OEM/Model:	Part Number:		CONUS	OCONUS
Lexmark x952dte	22ZT245		\$11,077.69	\$13,071.17
Key Attributes:				
TCO (per page)	\$0.06079			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	Gigabit Ethernet (10/100/1000)			
Hard Drive	A 320GB, 5200RPM, SATA 2 hard drive is included. FIPS 140-2 Compliant AES 256 Encryption Capable			
Duplex	Integrated Duplex			
Print Speed (Color)	Printing : up to 50 ppm (Letter A) - B/W, Printing : up to 45 ppm (Letter A) - color Printing : up to 50 spm (Letter A) - B/W duplex Copying : up to 50 ppm (Letter A) - B/W, Copying : up to 50 ppm (Letter A) - color Scanning : up to 68 spm (A4) - B/W, Scanning : up to 52 spm (Letter A) - B/W Scanning : up to 38 spm (A4) - color Scanning : up to 37 spm (Letter A) - color			
Print Resolution	1200 x 1200 dpi			
Input Capacity	Up to 4180 pages 20 lb or 75 gsm bond			
PRINT 11 x 17 (A3, TABLOID)	Yes			
Output Capacity	Up to 3750 pages 20 lb or 75 gsm bond			
Scanning	All noted scanning file types are supported.			
Digital Sending	Common Access Card (CAC) authentication, scan to e-mail, scan to folder, scan to network; SSL, LEAP, TLS, IPsec, 802.1x, ARP Security			
Power	220-240V AC 50/60 Hz			
Energy Star	Yes - Version 2.0			
E-PEAT	Bronze			
Dimensions	30.01 x 25.20 x 26.97 in.			
Weight	255.8 lb			
Certifications	IPV6 capable Lexmark devices are fully compliant and can be configured to meet DISA MFD and Network Printer STIG v2r8 (dated January 2016) Lexmark's MFDs are certified by the National Information Assurance Partnership (NIAP) as being compliant with the Common Criteria standards of certification, which evaluate the conformance of IT products to international standards. Lexmark MFDs have been engineered and constructed to provide a comprehensive and robust set of security protections to ensure that all aspects of your output environment are well protected when optimized with Lexmark technology. Lexmark devices with CAC capability are compliant with FIPS 201			
Fax	Lexmark devices are compliant with fax isolation and certified by NIAP Common Criteria. Fax can be disabled on any model with fax capability.			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
FINISHER	Standard Finisher- 3 Hole	HMS-22Z0016-22ZT248-PSC2016	\$1,390.12	\$1,395.12
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Black Toner 32.5K	HMS-C950X2KG-22ZT248-PSC2016	\$126.41	\$131.41
High Yield Toner : Cyan	Cyan Toner (22K)	HMS-C950X2CG-22ZT248-PSC2016	\$223.72	\$233.72
High Yield Toner : Magenta	Magenta Toner (22K)	HMS-C950X2MG-22ZT248-PSC2016	\$223.72	\$233.72
High Yield Toner : Yellow	Yellow Toner (22K)	HMS-C950X2YG-22ZT248-PSC2016	\$223.72	\$233.72
Waste Toner Bottle / Toner Collection Kit	Waste Toner Bottle	HMS-C950X76G-22ZT248-PSC2016	\$ 12.95	\$17.95
Covered by Vendor for Four Years:				
220V Fuser Maintenance Kit (320K); this item will be supplied through warranty – 40X7569				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



HEWLETT-PACKARD MFP

Black and White Office MFP 220V				
Vendor: <i>Hewlett-Packard</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP LaserJet Enterprise Flow M527c MFP	F2A81AAZ-HP	\$2,592.00	\$2,816.00	
Key Attributes:				
TCO (per page)	\$0.02675			
CAC	CAC Enabled			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Monochrome)	45 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 550-sheet tray 2 Tray 1: Letter, legal, statement, executive, oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch), Tray 2: letter, legal, statement, executive, oficio, 5 x 7, 5 x 8			
Output Capacity	250-sheet output bin, convenience stapler			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	220-240V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
E-PEAT	EPEAT® Gold			
Dimensions	18.98 x 19.52 x 19.55 in			
Weight	48.6 lb			
Certifications	IPv6 Compliant DISA Multi-Function Device and Network Printers STIG Compliant CSEC CCRA Common Criteria In Evaluation DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Fax	<ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 600 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
Paper Tray	HP LaserJet 550-sheet Paper Tray	F2A72A Open Market	\$150.00	\$150.00
Stand	HP LaserJet Printer Cabinet	F2A73A Open Market	\$185.00	\$185.00
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
STANDARD YIELD TONER	HP 87X High Yield Black Original LaserJet Toner Cartridge 18,000 pages	HP-CF287X-PSC2016	\$200.00	\$200.00
Covered by Vendor for Four Years:				
N/A				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 110V				
Vendor: Hewlett-Packard				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP LaserJet Enterprise Flow M630z MFP	B3G86A201-HP	\$ 4,477.00	\$5,329.00	
Key Attributes:				
TCO (per page)	\$0.01595			
CAC	CAC Enabled			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Monochrome)	60 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 500-sheet trays 2, 3, and 4 and 1,500-sheet tray 5 and stand Letter, legal, 8.5 x 13 in, executive, envelopes Custom: 3 x 5.83 in to 8.5 x 14 in			
Output Capacity	900-sheet, 3-bin stapling mailbox			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	110V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
E-PEAT	EPEAT® Silver			
Dimensions	35.9 x 25.3 x 43.7 in			
Weight	201.1 lb			
Certifications	IPv6 Compliant DISA Multi-Function Device and Network Printers STIG Compliant CSEC CCRA Common Criteria Certified DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Fax	Standard Fax Capability: <ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 500 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 			
Included in base	Paper Tray, Cart/pedestal/stand, encrypted hard drive, finisher, stapler, stacker, fax			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	HP 81X High Yield Black Original LaserJet Toner Cartridge 25,000 pages	HP-CF281X-PSC2016	\$110.00	\$110.00
Covered by Vendor for Four Years:				
Maintenance Kit - Included in Base - 4 Year USAF DPI TCO Quantity				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 220V				
Vendor: <i>Hewlett-Packard</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP LaserJet Enterprise Flow M630z MFP	B3G86AAAZ-HP	4,477.00	\$5,329.00	
Key Attributes:				
TCO (per page)	\$0.01817			
CAC	CAC Enabled			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Monochrome)	60 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 500-sheet trays 2, 3, and 4 and 1,500-sheet tray 5 and stand Letter, legal, 8.5 x 13 in, executive, envelopes Custom: 3 x 5.83 in to 8.5 x 14 in			
Output Capacity	900-sheet, 3-bin stapling mailbox			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	220-240V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
E-PEAT	EPEAT® Silver			
Dimensions	35.9 x 25.3 x 43.7 in			
Weight	201.1 lb			
Certifications	IPv6 Compliant			
	DISA Multi-Function Device and Network Printers STIG Compliant			
	CSEC CCRA Common Criteria Certified			
	DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Fax	Standard Fax Capability: <ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 500 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 			
Included in base	Paper Tray, Cart/pedestal/stand, encrypted hard drive, finisher, stapler, stacker, fax			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	HP 81X High Yield Black Original LaserJet Toner Cartridge 25,000 pages	HP-CF281X-PSC2016	\$110.00	\$110.00
Covered by Vendor for Four Years:				
Maintenance Kit - Included in Base - 4 Year USAF DPI TCO Quantity				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office MFP 220V				
Vendor: <i>Hewlett-Packard</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP Color LaserJet Enterprise Flow M577c MFP	B5L54AAZ-HP	\$3,342.00	\$3,559.00	
Key Attributes:				
TCO (per page)	\$0.05097			
CAC	CAC Enabled			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security			
Duplex	Yes - Automatic (standard)			
Print Speed (Color)	40 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 550-sheet tray 2 Tray 1: Letter, legal, statement, executive, oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch) Tray 2: letter, legal, statement, executive, oficio, 5 x 7, 5 x 8			
Output Capacity	250-sheet output bin, convenience stapler			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	220-240V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
E-PEAT	EPEAT® Silver			
Dimensions	18.98 x 19.84 x 22.95 in			
Weight	85 lb			
Certifications	IPv6 Compliant DISA Multi-Function Device and Network Printers STIG Compliant CSEC CCRA Common Criteria In Evaluation DoD CAC Enabled FIPS 201 Compliant with SHA 256 Compliance			
Fax	<ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 600 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 			
Included in base	Encrypted hard drive, Fax			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	HP Color LaserJet 550-sheet Media Tray	B5L34A Open Market	\$194.00	\$194.00
ADDITIONAL CART/PEDESTAL OR STAND	HP Color LaserJet Printer Cabinet	B5L51A Open Market	\$218.00	\$218.00
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	HP 508X High Yield Black LaserJet Toner Cartridge 12,500 pages	HP-CF360X-PSC2016	\$59.00	\$59.00
High Yield Toner : Cyan	HP 508X High Yield Cyan LaserJet Toner Cartridge 9,500 pages	HP-CF361X-PSC2016	\$82.00	\$82.00
High Yield Toner : Magenta	HP 508X High Yield Magenta LaserJet Toner Cartridge 9,500 pages	HP-CF363X-PSC2016	\$82.00	\$82.00
High Yield Toner : Yellow	HP 508X High Yield Yellow LaserJet Toner Cartridge 9,500 pages	HP-CF362X-PSC2016	\$82.00	\$82.00
Covered by Vendor for Four Years:				
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity				
Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 110V					
Vendor: <i>Hewlett-Packard</i>					
OEM/Model:	Part Number:	CONUS	OCONUS		
HP Color LaserJet Enterprise Flow M680z MFP	CZ250A201-HP	\$4,315.00	\$4,612.00		
Key Attributes:					
TCO (per page)	\$0.05203				
CAC	CAC Enabled				
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention				
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet				
Hard Drive	HP Secure High Performance Hard Disk Drive • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security				
Duplex	Yes - Automatic (standard)				
Print Speed (Color)	45 ppm				
Print Resolution	1200 x 1200 dpi				
Input Capacity	100-sheet multipurpose tray 1, 500-sheet trays 2, 3, and 4 and 1,500-sheet tray 5 and stand Letter, legal, 8.5 x 13 in, executive, envelopes Custom: 3 x 5.83 in to 8.5 x 14 in				
Output Capacity	900-sheet, 3-bin stapling mailbox				
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass scanning Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)				
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials				
Power	110V AC 50/60 Hz				
Energy Star	ENERGY STAR® Version 2.0 Qualified				
E-PEAT	EPEAT® Silver				
Dimensions	40.2 x 26.8 x 46.5 in				
Weight	191.3 lb				
Certifications	IPv6 Compliant DISA Multi-Function Device and Network Printers STIG Compliant CSEC CCRA Common Criteria Certified DoD CAC Enabled with FIPS 201 and SHA-256 Compliance				
Fax	• Integrated HP LaserJet MFP Analog Fax Accessory 500 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed				
Included in base	Paper Tray, Cart/pedestal/stand, encrypted hard drive, finisher, stapler, stacker, fax				
Consumables:					
Type	Description	Part Number	CONUS	OCONUS	
High Yield Toner : Black	HP 653X High Yield Black Original LaserJet Toner Cartridge 21,000 pages	HP-CF320X-PSC2016	\$181.72	\$181.72	
Standard Yield Toner : Cyan	HP 653A Cyan Original LaserJet Toner Cartridge 16,500 pages	HP-CF321A-PSC2016	\$244.72	\$244.72	
Standard Yield Toner : Magenta	HP 653A Magenta Original LaserJet Toner Cartridge 16,500 pages	HP-CF323A-PSC2016	\$244.72	\$244.72	
Standard Yield Toner : Yellow	HP 653A Yellow Original LaserJet Toner Cartridge 16,500 pages	HP-CF322A-PSC2016	\$244.72	\$244.72	
Covered by Vendor for Four Years:					
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity					
ITU Maintenance - Included in Base - 4 Year USAF DPI TCO Quantity					
Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity					

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 220V				
Vendor: <i>Hewlett-Packard</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
HP Color LaserJet Enterprise Flow M680z MFP	CZ250AAAZ-HP	\$ 4,315.00	\$ 4,612.00	
Key Attributes:				
TCO (per page)	\$0.05330			
CAC	CAC Enabled			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> FIPS 140-2 validated hardware-based AES-256 encryption 500GB Capacity and internal SATA interface Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Color)	45 ppm			
Print Resolution	1200 x 1200 dpi			
Input Capacity	100-sheet multipurpose tray 1, 500-sheet trays 2, 3, and 4 and 1,500-sheet tray 5 and stand Letter, legal, 8.5 x 13 in, executive, envelopes Custom: 3 x 5.83 in to 8.5 x 14 in			
Output Capacity	900-sheet, 3-bin stapling mailbox			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to Microsoft® SharePoint®, Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi Scanner: 100-sheet ADF, Color, Duplex, Legal-size, HP EveryPage ultrasonic misfeed detection, Dual-sided single-pass Workflow: Integrated Keyboard, Embedded Optical Character Recognition (OCR) File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	220-240V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
E-PEAT	EPEAT® Silver			
Dimensions	40.2 x 26.8 x 46.5 in			
Weight	191.3 lb			
Certifications	IPv6 Compliant DISA Multi-Function Device and Network Printers STIG Compliant CSEC CCRA Common Criteria Certified DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Included in base	Paper Tray, Cart/pedestal/stand, encrypted hard drive, finisher, stapler, stacker, fax			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	HP 653X High Yield Black Original LaserJet Toner Cartridge 21,000 pages	HP-CF320X-PSC2016	\$181.72	\$181.72
Standard Yield Toner : Cyan	HP 653A Cyan Original LaserJet Toner Cartridge 16,500 pages	HP-CF321A-PSC2016	\$244.72	\$244.72
Standard Yield Toner : Magenta	HP 653A Magenta Original LaserJet Toner Cartridge 16,500 pages	HP-CF323A-PSC2016	\$244.72	\$244.72
Standard Yield Toner : Yellow	HP 653A Yellow Original LaserJet Toner Cartridge 16,500 pages	HP-CF322A-PSC2016	\$244.72	\$244.72
Covered by Vendor for Four Years:				
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity ITU Maintenance - Included in Base - 4 Year USAF DPI TCO Quantity				
Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color 11X17 MFP 110V					
Vendor: <i>Hewlett-Packard</i>					
OEM/Model:	Part Number:	CONUS	OCONUS		
HP Color LaserJet Enterprise M775z MFP	CC524A201-HP	\$4,909.00	\$5,411.00		
Key Attributes:					
TCO (per page)	\$0.05630				
CAC	CAC Enabled				
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention				
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet				
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 				
Duplex	Yes - Automatic (standard)				
Print Speed (Color)	30 ppm				
Print Resolution	600 x 600 dpi (color and black-only); HP ImageREt 3600				
Input Capacity	100-sheet multipurpose tray, 250-sheet tray 2, 3 x 500-sheet feeder tray with cabinet for tray 3, 4, 5 Letter, letter-R, executive, legal, 8.5 x 13 in, 11 x 17 in Custom: 3 x 5 in to 12.6 x 18.5 in				
PRINT 11 x 17 (A3, TABLOID)	Capable of printing 11 X 17 (Tabloid) (standard)				
Output Capacity	250-sheet output tray; 500-sheet inline stapler/stacker with job offset				
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax Selectable scan resolution: 75 to 600 dpi, Scanner: Color, Duplex, Legal-size File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A				
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials				
Power	110V AC 50/60 Hz				
Energy Star	ENERGY STAR® Version 2.0 Qualified				
E-PEAT	EPEAT® Silver				
Dimensions	29.3 x 26.3 x 47.2 in				
Weight	237.4 lb				
Certifications	IPv6 Compliant DISA Multi-Function Device and Network Printers STIG Compliant CSEC CCRA Common Criteria Certified DoD CAC Enabled with FIPS 201 and SHA-256 Compliance				
Fax	Standard Fax Capability: <ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 500 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 				
Included in base	Paper Tray, Cart/pedestal/stand, encrypted hard drive, finisher, stapler, stacker, fax				
Consumables:					
Type	Description	Part Number	CONUS	OCONUS	
Standard Yield Toner : Black	HP 651A Black LaserJet Toner Cartridge 13,500 pages	HP-CE340AG-PSC2016	\$89.60	\$89.60	
Standard Yield Toner : Cyan	HP 651A Cyan LaserJet Toner Cartridge 16,000 pages	HP-CE341AG-PSC2016	\$225.60	\$225.60	
Standard Yield Toner : Magenta	HP 651A Magenta LaserJet Toner Cartridge 16,000 pages	HP-CE343AG-PSC2016	\$225.60	\$225.60	
Standard Yield Toner : Yellow	HP 651A Yellow LaserJet Toner Cartridge 16,000 pages	HP-CE342AG-PSC2016	\$225.60	\$225.60	
Covered by Vendor for Four Years:					
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity ITU Maintenance - Included in Base - 4 Year USAF DPI TCO Quantity Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity					

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color 11X17 MFP 220V				
Vendor: <i>Hewlett-Packard</i>				
OEM/Model:	Part Number:		CONUS	OCONUS
HP Color LaserJet Enterprise M775z MFP	CC524AAAZ-HP		\$4,909.00	\$ 5,411.00
Key Attributes:				
TCO (per page)	\$0.05909			
CAC	CAC Enabled			
Warranty	4-Year Next Business Day (NBD) Onsite with Hard Drive Retention			
Network Connectivity	HP Jetdirect 10/100/1000 Gigabit Ethernet			
Hard Drive	HP Secure High Performance Hard Disk Drive <ul style="list-style-type: none"> • FIPS 140-2 validated hardware-based AES-256 encryption • 500GB Capacity and internal SATA interface • Kensington Lock port available for optional security 			
Duplex	Yes - Automatic (standard)			
Print Speed (Color)	30 ppm			
Print Resolution	600 x 600 dpi (color and black-only); HP ImageREt 3600			
Input Capacity	100-sheet multipurpose, 250-sheet tray 2, 3 x 500-sheet feeder tray with cabinet for tray 3, 4, 5 Letter, letter-R, executive, legal, 8.5 x 13 in, 11 x 17 in Custom: 3 x 5 in to 12.6 x 18.5 in			
PRINT 11 x 17 (A3, TABLOID)	Capable of printing 11 X 17 (Tabloid) (standard)			
Output Capacity	250-sheet output tray; 500-sheet inline stapler/stacker with job offset			
Scanning	Destinations: Scan to E-Mail, Save to Network Folder (PC), Save to OXP Applications, Save to USB, Save to FTP, Send to LAN Fax, Send to Internet Fax, Selectable scan resolution: 75 to 600 dpi Scanner: Color, Duplex, Legal-size, File types: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A			
Digital Sending	E-mail with Encryption: Triple-DES, AES-128, AES-256 E-mail with Digital Signature: SHA-1, SHA-256, SHA-384, SHA-512 with User CAC Credentials Save to Network Folder: User Path, Administrator Path, or LDAP Lookup with User CAC and Active Directory Credentials			
Power	220-240V AC 50/60 Hz			
Energy Star	ENERGY STAR® Version 2.0 Qualified			
E-PEAT	EPEAT® Silver			
Dimensions	29.3 x 26.3 x 47.2 in			
Weight	237.4 lb			
Certifications	IPv6 Compliant DISA Multi-Function Device and Network Printers STIG Compliant CSEC CCRA Common Criteria Certified DoD CAC Enabled with FIPS 201 and SHA-256 Compliance			
Fax	Standard Fax Capability: <ul style="list-style-type: none"> • Integrated HP LaserJet MFP Analog Fax Accessory 500 • Embedded support for LAN and Internet Fax Services • All fax capability may be disabled or removed 			
Included in base	Paper Tray, Cart/pedestal/stand, encrypted hard drive, finisher, stapler, stacker, fax			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
Standard Yield Toner : Black	HP 651A Black LaserJet Toner Cartridge 13,500 pages	HP-CE340AG-PSC2016	\$89.60	\$89.60
Standard Yield Toner : Cyan	HP 651A Cyan LaserJet Toner Cartridge 16,000 pages	HP-CE341AG-PSC2016	\$225.60	\$225.60
Standard Yield Toner : Magenta	HP 651A Magenta LaserJet Toner Cartridge 16,000 pages	HP-CE343AG-PSC2016	\$225.60	\$225.60
Standard Yield Toner : Yellow	HP 651A Yellow LaserJet Toner Cartridge 16,000 pages	HP-CE342AG-PSC2016	\$225.60	\$225.60
Covered by Vendor for Four Years:				
Fuser - Included in Base - 4 Year USAF DPI TCO Quantity				
ITU Maintenance - Included in Base - 4 Year USAF DPI TCO Quantity				
Waste Toner Bottle / Toner Collection Kit - Included in Base - 4 Year USAF DPI TCO Quantity				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



INTELLIGENT DECISIONS MFP

Black and White Office MFP 110V				
Vendor: <i>Intelligent Decisions</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Xerox 3655/YXM	3655/YXM-IDI	\$1,383.20	\$3,810.75	
Key Attributes:				
TCO (per page)	\$0.01800			
CAC	CAC Enabled			
Warranty	E3655S4 - 4-Year, Onsite, Next Business Day (NBD), Hard Drive Retention			
Network Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0			
Hard Drive	Standard 250 GB with FIP 140-2 encryption			
Duplex	Yes			
Print Speed (Monochrome)	47ppm			
Print Resolution	Copy: Up to 600 x 600 dpi; Print: Up to 1200 x 1200 dpi			
Input Capacity	700 sheets standard, 2,350 maximum			
Output Capacity	250 sheets			
Scanning	DADF, Scan to Mailbox, Scan to USB, Scan to Email, Scan to Network; File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Single Touch Scan, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Encrypted / Password Protected PDF, Linearized PDF / PDF/A. Color network scanning, Color scan to email. 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi (color maximum), 200 x 200 dpi, 100 x 100 dpi, 72 x 72 dpi. Sizes up to 8.58 x 15.75 inches			
Digital Sending	Smart Card Technology. The WorkCentre 3655 multifunction device supports the Homeland Security Presidential Directive 12/HSPD-12 with Common Access Card (CAC) support. CAC enables users to encrypt and digitally sign electronic documents, and protects the device and the network against unauthorized access. (p/n 498K17546 Cac Enablement Kit)			
Power	110–127 VAC, 50/60 Hz			
Energy Star	Yes			
EPEAT® Silver	Silver			
Dimensions	22 x 21.3 x 22.7 in.			
Weight	58 lbs.			
Certifications	SSLv3, IPsec, 802.1X Authentication, HTTPS, IPPS, SMTP Authentication, IPv6, SNMPv3, IP Filtering, 256-bit encryption, Image Overwrite2, FIPS 140-2			
	DISA STIG Compliant			
	Common Criteria Certified			
	DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 (p/n 498K17546 Cac Enablement Kit)			
Fax	Embedded Fax, LAN Fax, Internet Fax, Server Fax			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	550 Sheet Paper Tray	097S04625	\$109.65	\$124.65
ADDITIONAL CART/PEDESTAL OR STAND	Printer Stand	497K14670	\$138.41	\$153.41
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Black Extra High Capacity Toner Cartridge, WorkCentre 3655 (25,900 Pages)	IDI-106R02740-PSC2016	\$265.33	\$280.33
Covered by Vendor for Four Years:				
110V FUSER MAINTENANCE KIT 3655 (INCLUDES 110V FUSER, BIAS TRANSFER ROLLER), LONG LIFE ITEM, TYPICALLY NOT REQUIRED - 115R00084; Smart Kit Drum Cartridge, WorkCentre 3655, Capacity 85,000 - 113R00773; Included				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Office MFP 220V				
Vendor: <i>Intelligent Decisions</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark MX511de	35ST264-IDI	\$2,085.89	\$2,336.63	
Key Attributes:				
TCO (per page)	\$0.02391			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	Gigabit Ethernet (10/100/1000)			
Hard Drive	Hard Drive is optional on this model			
Duplex	Integrated Duplex			
Print Speed (Monochrome)	Print Speed (Letter, Black), Up to 45 ppm6, Print Speed (Letter, Black) Duplex, Up to 20 spm6			
Print Resolution	Print Resolution, Black, 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi			
Input Capacity	Paper Input Capacity, Standard, Up to 350 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum, Up to 2000 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard, Up to 150 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum, Up to 150 pages 20 lb or 75 gsm bond			
Scanning	Scanner Type Flatbed scanner with ADF Scan Technology CIS Optical Scanning Resolution 600 X 600 ppi (color) 1200 X 600 ppi (black) Scan File Formats (Send as) JPEG, JPG PDF Secure PDF TIFF XPS Archival PDF (A-1a, A-1b) Searchable PDF (optional OCR with 1GB RAM and hard disk required) Highly compressed PDF (1GB RAM and hard disk required) Scan Destinations e-mail FTP USB Flash drive USB or Network connected computer Lexmark Document Solutions Suite (LDSS)			
Digital Sending	Scan to Email with Encryption-AES 256 for attachments; Scan to Email with Digital Signature for attachments (Sign w/User CAC Credentials); Scan to Network File Shares w/User CAC and Active Directory Credentials			
Power	220V AC 50/60 Hz			
Energy Star	Energy Star V2.0			
E-PEAT	Silver			
Dimensions	19.8 x 19.3 x 17.8 in.			
Weight	48 lb.			
Certifications	Network Protocol Support TCP/IP IPv4 AppleTalk™ TCP/IP IPv6 TCP UDP			
	Lexmark devices are compliant and configured to meet DISA MFD and Network Printer STIG_v2r8_RTM_(Revalidated 12 April 2016)			
	NIAP Compliant			
	Lexmark devices with CAC capability are compliant with FIPS 201			
Fax	Fax Transmission Speed < 3 seconds per page			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
HARD DRIVE	160GB Hard Disk	27X0210	\$323.64	\$338.64
ADDITIONAL PAPER TRAY	MX610, MX611 550-Sheet Tray	35S0567	\$151.26	\$166.26
ADDITIONAL CART/PEDESTAL OR STAND	Printer Stand	35S8502	\$227.30	\$242.30
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Toner 20K	IDI-60F0X0G-PSC2016	\$210.97	\$225.97
Standard Yield Toner : Black	Toner 10K	IDI-60F0H0G-PSC2016	\$189.36	\$204.36
Imaging Unit, Black	Imaging Unit/PC (60K)	IDI-50F0Z0G-PSC2016	\$19.39	\$34.39
Covered by Vendor for Four Years:				
Fuser - 220V Fuser Maintenance Kit (200K) - 40X9136				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 110V				
Vendor: <i>Intelligent Decisions</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Xerox WorkCentre 4265/YSM	4265/YSM-IDI	\$2,849.95	\$4,110.31	
Key Attributes:				
TCO (per page)	\$0.01394			
CAC	CAC Enabled			
Warranty	E4265S4 - 4-Year, Onsite, Next Business Day (NBD), Hard Drive Retention			
Network Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0			
Hard Drive	Standard 320 GB. Hard Drive Image Overwrite, 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO15408)			
Duplex	Yes			
Print Speed (Monochrome)	55ppm			
Print Resolution	600 x 600 dpi (up to 1200 x 1200 enhanced image quality)			
Input Capacity	620 sheets standard, 3,240 maximum			
Output Capacity	500 sheets			
Scanning	Scan to Home, Scan to Computer via SMB, Scan to Mailbox, Scan to Email, Scan to Folder, Scan to SMB, FTP, SFTP, Client, Scan to Network, Scan to HTTP, Scan to HTTPS, XPS, PDF/A, Image-only PDF, JPEG, Single-and Multi-page TIFF, Scan to USB Memory Device, TWAIN Support, Color network scanning, Color scan to email, Scan to USB, Scan to desktop. TIFF, Multipage TIFF, JPEG, PDF. 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi			
Digital Sending	Smart Card Technology. The WorkCentre 4265 multifunction device supports the Homeland Security Presidential Directive 12/HSPD-12 with Common Access Card (CAC) support. CAC enables users to encrypt and digitally sign electronic documents, and protects the device and the network against unauthorized access. (p/n 497K09950 CAC Enablement Kit)			
Power	110–127 VAC, 50/60 Hz			
Energy Star	Yes			
E-PEAT	Silver			
Dimensions	24.5 x 20.1 x 24.6 in.			
Weight	93 lbs.			
Certifications	SSLv3, IPsec, 802.1X Authentication, HTTPS, IPPS, SMTP Authentication, IPv6, SNMPv3, IP Filtering, 256-bit encryption, Image Overwrite2, FIPS 140-2			
	DISA SPAN STIG Compliant			
	Common Criteria Certified			
	DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 (p/n 497K09950 CAC Enablement Kit)			
Fax	Optional Embedded Fax2, LAN Fax, Server Fax (p/n 097N02154)			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	520 Sheet Paper Tray	097N01524	\$111.15	\$126.15
ADDITIONAL CART/PEDESTAL OR STAND	2-Tray Stand (requires one 520 sheet tray p/n 097N01524)	097S03677	\$133.42	\$148.42
FINISHER	Finisher: 500-sheet tray, 50-sheet stapling	097N02155	\$399.26	\$414.26
FAX	Fax is optional (p/n 097N02154). Option to disable or enable by IT Admin.	097N02154	\$310.93	\$325.93
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Black Extra High Capacity Toner Cartridge, WorkCentre 4265 (50,000 Pages)	IDI-106R03102-PSC2016	\$438.66	\$453.66
Standard Yield Toner : Black	Black High Capacity Toner Cartridge, WorkCentre 4265 (25,000 Pages)	IDI-106R03287-PSC2016	\$145.87	\$160.87
Photoconductor / Drum Kit	Worldwide Smart Kit Drum Cartridge, WorkCentre 4265 (100,000 Pages)	IDI-113R00778-PSC2016	\$106.20	\$121.20
Covered by Vendor for Four Years:				
110V Fuser Maintenance Kit WorkCentre 4265 , Long Life Item, Typically Not Required - 115R00086				
Drum Kit, WorkCentre 4265 (100,000 Pages) - 113R00778				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 220V				
Vendor: <i>Intelligent Decisions</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark MX811de	24TT817	\$5,698.10	\$5,948.84	
Key Attributes:				
TCO (per page)	\$0.02076			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	Gigabit Ethernet (10/100/1000)			
Hard Drive	Hard Drive is not standard on this model.			
Duplex	Integrated Duplex			
Print Speed (Monochrome)	Print Speed (Letter, Black)Up to 63 ppm5 Print Speed (Letter, Black) DuplexUp to 38 spm			
Print Resolution	Print Resolution, Black1200 Image Quality1200 x 1200 dpi2400 Image Quality600 x 600 dpi			
Input Capacity	Paper Input Capacity, StandardUp to 1200 pages 20 lb or 75 gsm bond Paper Input Capacity, MaximumUp to 2300 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, StandardUp to 1050 pages 20 lb or 75 gsm bond Paper Output Capacity, MaximumUp to 1050 pages 20 lb or 75 gsm bond			
Scanning	Scan File Formats (Send as)JPEG, JPGPDFSecure PDFTIFFXPSArchival PDF (A-1a, A-1b)Searchable PDF (optional OCR with 1GB RAM and hard disk required)Highly compressed PDF (1GB RAM and hard disk required) Scan Destinationse-mailFTPUSB Flash driveUSB or Network connected computerLexmark Document Solutions Suite (LDSS)			
Digital Sending	Scan to Email with Encryption-AES 256 for attachments; Scan to Email with Digital Signature for attachments (Sign w/User CAC Credentials); Scan to Network File Shares w/User CAC and Active Directory Credentials			
Power	220V AC 50/60 Hz			
Energy Star	Energy Star			
E-PEAT	Silver			
Dimensions	44.6 x 26.1 x 28.9 in.			
Weight	187.7 lb			
Certifications	Network Protocol SupportTCP/IP IPv4AppleTalk™TCP/IP IPv6TCPUDP			
	Lexmark devices are compliant and configured to meet DISA MFD and Network Printer STIG_v2r8_RTM_(Revalidated 12 April 2016)			
	NIAP Compliant. See validation report links			
	Lexmark devices with CAC capability are compliant with FIPS 201			
Fax	Fax Transmission Speed < 3 seconds per page			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
HARD DRIVE	160GB Hard Disk	27X0200	\$323.64	\$338.64
ADDITIONAL PAPER TRAY	550 Sheet Tray	24T7300	\$111.15	\$126.15
ADDITIONAL CART/PEDESTAL OR STAND	Caster Base	40G0855	\$133.42	\$148.42
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Toner 45K	IDI-62D0X0G-PSC2016	\$209.87	\$224.87
Standard Yield Toner : Black	Toner 25K	IDI-62D0H0G-PSC2016	\$273.99	\$288.99
Photoconductor / Drum Kit	Imaging Unit/Photoconductor (100K)	IDI-52D0Z0G-PSC2016	\$22.70	\$37.70
Covered by Vendor for Four Years:				
Fuser - 220V Fuser Maintenance Kit (200K) - 40X8421				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office MFP 110V				
Vendor: <i>Intelligent Decisions</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark CX510de	28ET651-IDI	\$1,920.15	\$2,157.10	
Key Attributes:				
TCO (per page)	\$0.05753			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	Gigabit Ethernet (10/100/1000)			
Hard Drive	Hard Drive is not standard on this model.			
Duplex	Integrated Duplex Print Speed (Letter, Black) Duplex up to 15 spm6 Print Speed (Letter, Color) Duplex Up to 15 spm6			
Print Speed (Color)	Print Speed (Letter, Black), Up to 32 ppm6, Print Speed (Letter, Color), Up to 32 ppm6			
Print Resolution	Print Resolution, Color, 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Paper Input Capacity, Standard, Up to 250+1 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum, Up to 1450+1 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard, Up to 150 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum, Up to 150 pages 20 lb or 75 gsm bond			
Scanning	Optical Scanning Resolution, 600 X 600 ppi (color), 1200 X 600 ppi (black), Scan File Formats (Send as) JPEG, JPG, PDF, Secure PDF, TIFF, XPS, Archival PDF (A-1a, A-1b), Scan Destinations, e-mail FTP, USB Flash drive, USB or Network connected computer, Lexmark Document Solutions Suite (LDSS)			
Digital Sending	Scan to Email with Encryption-AES 256 for attachments; Scan to Email with Digital Signature for attachments (Sign w/User CAC Credentials); Scan to Network File Shares w/User CAC and Active Directory Credentials			
Power	110V AC 50/60 Hz			
Energy Star	Energy Star.			
E-PEAT	Silver			
Dimensions	18.44 x 17.48 x 23.2 in.			
Weight	62 lb.			
Certifications	Network Protocol Support TCP/IP IPv4 AppleTalk™ TCP/IP IPv6 TCP UDP			
	Lexmark devices are compliant and configured to meet DISA MFD and Network Printer STIG_v2r8_RTM_(Revalidated 12 April 2016)			
	NIAP Compliant. See validation report links			
	Lexmark devices with CAC capability are compliant with FIPS 201			
Fax	Fax Transmission Speed < 3 seconds per page			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	550 sheet drawer	38C0636	\$134.76	\$149.76
ENCRYPTED HARD DRIVE	320+ GB Hard Disk	27X0200	\$323.64	\$338.64
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
Developer Unit	Black Developer Unit (40K)	IDI-70C0D1G-PSC2016	\$.01	\$15.01
Developer Unit	Cyan Developer Unit (40K)	IDI-70C0D2G-PSC2016	\$.01	\$15.01
Developer Unit	Magenta Developer Unit (40K)	IDI-70C0D3G-PSC2016	\$.01	\$15.01
Developer Unit	Yellow Developer Unit (40K)	IDI-70C0D4G-PSC2016	\$.01	\$15.01
Imaging Unit, Black	Black Imaging Kit (40K)	IDI-70C0Z1G-PSC2016	\$.01	\$15.01
Imaging Unit, Color	Black & Color Imaging Kit (40K)	IDI-70C0Z5G-PSC2016	\$.01	\$15.01
High Yield Toner : Black	Black Toner (8K)	IDI-80C0XKG-PSC2016	\$104.93	\$119.93

Digital Printing and Imaging (DPI) Ordering Guide



High Yield Toner : Cyan	Cyan Toner (4K)	IDI-80C0XCG-PSC2016	\$68.92	\$83.92
High Yield Toner : Magenta	Magenta Toner (4K)	IDI-80C0XMG-PSC2016	\$68.92	\$83.92
High Yield Toner : Yellow	Yellow Toner (4K)	IDI-80C0XYG-PSC2016	\$68.92	\$83.92
Photoconductor / Drum Kit	Photoconductor Unit (40K)	IDI-70C0POG-PSC2016	\$.01	\$15.01
Covered by Vendor for Four Years:				
Fuser - 110V Maintenance Kit (85K)				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office MFP 220V				
Vendor: <i>Intelligent Decisions</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark CX510de	28ET650-IDI	\$2,496.76	\$2,747.51	
Key Attributes:				
TCO (per page)	\$0.07293			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	Gigabit Ethernet (10/100/1000)			
Hard Drive	Hard Drive is not standard on this model.			
Duplex	Integrated Duplex Print Speed (Letter, Black) Duplex Up to 15 spm6 Print Speed (Letter, Color) Duplex Up to 15 spm6			
Print Speed (Color)	Print Speed (Letter, Black) Up to 32 ppm6 Print Speed (Letter, Color) Up to 32 ppm6			
Print Resolution	Print Resolution, Color 1200 x 1200 dpi 4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Paper Input Capacity, Standard Up to 250+1 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum Up to 1450+1 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard Up to 150 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum Up to 150 pages 20 lb or 75 gsm bond			
Scanning	Optical Scanning Resolution 600 X 600 ppi (color) 1200 X 600 ppi (black) Scan File Formats (Send as) JPEG, JPG PDF Secure PDF TIFF XPS Archival PDF (A-1a, A-1b) Scan Destinations e-mail FTP USB Flash drive USB or Network connected computer Lexmark Document Solutions Suite (LDSS)			
Digital Sending	Scan to Email with Encryption-AES 256 for attachments; Scan to Email with Digital Signature for attachments (Sign w/User CAC Credentials); Scan to Network File Shares w/User CAC and Active Directory Credentials			
Power	220V AC 50/60 Hz			
Energy Star	Energy Star			
E-PEAT	Silver			
Dimensions	18.44 x 17.48 x 23.2 in.			
Weight	62 lb.			
Certifications	Network Protocol Support TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP			
	Lexmark devices are compliant and configured to meet DISA MFD and Network Printer STIG_v2r8_RTM_(Revalidated 12 April 2016)			
	NIAP Compliant. See validation report links			
	Lexmark devices with CAC capability are compliant with FIPS 201.			
Fax	Fax Transmission Speed < 3 seconds per page			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ENCRYPTED HARD DRIVE	320+ GB Hard Disk	27X0200	\$323.64	\$338.64
ADDITIONAL PAPER TRAY	550 sheet drawer	38C0636	\$134.76	\$149.76
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Black Toner (8K)	IDI-80C0XKG-PSC2016	\$104.93	\$119.93
High Yield Toner : Cyan	Cyan Toner (4K)	IDI-80C0XCG-PSC2016	\$68.92	\$83.92
High Yield Toner : Magenta	Magenta Toner (4K)	IDI-80C0XMG-PSC2016	\$68.92	\$83.92
High Yield Toner : Yellow	Yellow Toner (4K)	IDI-80C0XYG-PSC2016	\$68.92	\$83.92
Photoconductor / Drum Kit	Photoconductor Unit (40K)	IDI-70C0P0G-PSC2016	\$.01	\$15.01
Imaging Unit, Black	Black Imaging Kit (40K)	IDI-70C0Z1G-PSC2016	\$.01	\$15.01

Digital Printing and Imaging (DPI) Ordering Guide



Developer Unit	Black Developer Unit (40K)	IDI-70C0D1G-PSC2016	\$.01	\$15.01
Developer Unit	Cyan Developer Unit (40K)	IDI-70C0D2G-PSC2016	\$.01	\$15.01
Developer Unit	Magenta Developer Unit (40K)	IDI-70C0D3G-PSC2016	\$.01	\$15.01
Developer Unit	Yellow Developer Unit (40K)	IDI-70C0D4G-PSC2016	\$.01	\$15.01
Covered by Vendor for Four Years:				
Fuser - 220V Fuser Maintenance Kit (85k) - 40X7616				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 110V				
Vendor: <i>Intelligent Decisions</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark CX825de	42KT240 2360000	\$4,675.75	\$4,912.70	
Key Attributes:				
TCO (per page)	\$0.06801			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	Gigabit Ethernet (10/100/1000)			
Hard Drive	Hard Drive is not standard on this model.			
Duplex	Integrated Duplex			
Print Speed (Color)	Print Speed (Letter, Black) Up to 55 ppm6 Print Speed (Letter, Color) Up to 55 ppm6 Print Speed (Letter, Black) Duplex Up to 55 spm6			
Print Resolution	Print Resolution, Black 1200 x 1200 dpi 4800 Color Quality (2400 x 600 dpi) Print Resolution, Color 1200 x 1200 dpi 4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Paper Input Capacity, Standard Up to 650 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum Up to 4500 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard Up to 500 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum Up to 1950 pages 20 lb or 75 gsm bond			
Scanning	Scan File Formats (Send as)JPEG, JPG PDF Secure PDF TIFF XPS Archival PDF (A-1a, A-1b) Searchable PDF (optional OCR with 1GB RAM and hard disk required) Highly compressed PDF (1GB RAM and hard disk required) Scan Destinations e-mail FTP USB Flash drive USB or Network connected computer Lexmark Document Solutions Suite (LDSS)			
Digital Sending	Scan to Email with Encryption-AES 256 for attachments; Scan to Email with Digital Signature for attachments (Sign w/User CAC Credentials); Scan to Network File Shares w/User CAC and Active Directory Credentials			
Power	110V AC 50/60 Hz			
Energy Star	Energy Star			
EPEAT® Silver	Gold			
Dimensions	32 x 22 x 23.15 in.			
Weight	183 lb.			
Certifications	Network Protocol Support TCP/IP IPv4 TCP/IP IPv6 TCP UDP Lexmark devices are compliant and configured to meet DISA MFD and Network Printer STIG_v2r8_RTM_(Revalidated 12 April 2016) NIAP Compliant. See validation report links Lexmark devices with CAC capability are compliant with FIPS 201			
Fax	Fax Transmission Speed < 3 seconds per page			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ENCRYPTED HARD DRIVE	160+GB Hard Disk Drive	27X0210	\$323.64	\$338.64
ENCRYPTED HARD DRIVE	320+GB Hard Disk Drive	27X0400	\$394.12	\$409.12
ADDITIONAL PAPER TRAY	550 Sheet Tray	21K0567	\$240.79	\$255.79
ADDITIONAL PAPER TRAY	2200 Sheet Tray	21K0237	\$762.14	\$777.14
Add a stapler finisher	CX825/CX860 Inline Staple Finisher	42K2300	\$323.12	\$338.12
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
Imaging Unit, Black	Black Imaging Unit (175K)	IDI-72K0P0G-PSC2016	\$55.23	\$70.23
Imaging Unit, Color	Color Imaging Unit (175K)	IDI-72K0Q0G-PSC2016	\$165.68	\$180.68
High Yield Toner : Black	Black Toner (33K)	IDI-72K0XKG-PSC2016	\$303.75	\$318.75
High Yield Toner : Cyan	Cyan Toner (22K)	IDI-72K0XCG-PSC2016	\$436.30	\$451.30
High Yield Toner : Magenta	Magenta Toner (22K)	IDI-72K0XMG-PSC2016	\$436.30	\$451.30

Digital Printing and Imaging (DPI) Ordering Guide



High Yield Toner : Yellow	Yellow Toner (22K)	IDI-72K0XYG-PSC2016	\$436.30	\$451.30
Covered by Vendor for Four Years:				
Fuser - 220V Fuser Maintenance Kit (300K) -41X0928				
Maintenance Kit- ADF Maintenance Kit - 41X0931				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 220V				
Vendor: <i>Intelligent Decisions</i>				
OEM/Model:	Part Number:		CONUS	OCONUS
Lexmark CX825de	42KT250 2360000 57X0030		\$5,328.46	\$5,579.20
Key Attributes:				
TCO (per page)	\$0.06801			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	Gigabit Ethernet (10/100/1000)			
Hard Drive	Hard Drive is not standard on this model.			
Duplex	Integrated Duplex			
Print Speed (Color)	Print Speed (Letter, Black) Up to 55 ppm6 Print Speed (Letter, Color) Up to 55 ppm6 Print Speed (Letter, Black) Duplex Up to 55 spm6			
Print Resolution	Print Resolution, Black 1200 x 1200 dpi 4800 Color Quality (2400 x 600 dpi) Print Resolution, Color 1200 x 1200 dpi 4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Paper Input Capacity, Standard Up to 650 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum Up to 4500 pages 20 lb or 75 gsm bond			
Output Capacity	Paper Output Capacity, Standard Up to 500 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum Up to 1950 pages 20 lb or 75 gsm bond			
Scanning	Scan File Formats (Send as)JPEG, JPG PDF Secure PDF TIFF XPS Archival PDF (A-1a, A-1b) Searchable PDF (optional OCR with 1GB RAM and hard disk required) Highly compressed PDF (1GB RAM and hard disk required) Scan Destinations e-mail FTP USB Flash drive USB or Network connected computer Lexmark Document Solutions Suite (LDSS)			
Digital Sending	Scan to Email with Encryption-AES 256 for attachments; Scan to Email with Digital Signature for attachments (Sign w/User CAC Credentials); Scan to Network File Shares w/User CAC and Active Directory Credentials			
Power	220V AC 50/60 Hz			
Energy Star	Energy Star			
EPEAT® Silver	Gold			
Dimensions	32 x 22 x 23.15 in.			
Weight	183 lb.			
Certifications	Network Protocol Support TCP/IP IPv4 TCP/IP IPv6 TCP UDP Lexmark devices are compliant and configured to meet DISA MFD and Network Printer STIG_v2r8_RTM_(Revalidated 12 April 2016) NIAP Compliant. See validation report links Lexmark devices with CAC capability are compliant with FIPS 201			
Fax	Fax Transmission Speed < 3 seconds per page			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ENCRYPTED HARD DRIVE	320+GB Hard Disk Drive	27X0400	\$394.12	\$409.12
ENCRYPTED HARD DRIVE	160+GB Hard Disk Drive	27X0210	\$95.44	\$110.44
ADDITIONAL PAPER TRAY	550 Sheet Tray	21K0567	\$240.79	\$255.79
Add a stapler finisher	CX825/CX860 Inline Staple Finisher	42K2300	\$323.12	\$338.12
2200 Sheet Tray	2200 Sheet Tray	21K0237	\$762.14	\$777.14
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
Imaging Unit, Black	Black Imaging Unit (175K)	IDI-72K0P0G-PSC2016	\$55.23	\$70.23
Imaging Unit, Color	Color Imaging Unit (175K)	IDI-72K0Q0G-PSC2016	\$165.68	\$180.68
High Yield Toner : Black	Black Toner (33K)	IDI-72K0XKG-PSC2016	\$303.75	\$318.75
High Yield Toner : Cyan	Cyan Toner (22K)	IDI-72K0XCG-PSC2016	\$436.30	\$451.30
High Yield Toner : Magenta	Magenta Toner (22K)	IDI-72K0XMG-PSC2016	\$436.30	\$451.30
High Yield Toner : Yellow	Yellow Toner (22K)	IDI-72K0XYG-PSC2016	\$436.30	\$451.30
Covered by Vendor for Four Years:				
Fuser - 220V Fuser Maintenance Kit (300K) -41X0928 Maintenance Kit- ADF Maintenance Kit - 41X0931				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color 11X17 MFP 110V				
Vendor: <i>Intelligent Decisions</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Ricoh MP C2003G (Includes CAC, SCR3310, PS, HDD SURR)	416992-IDI	\$5,548.21		
Key Attributes:				
TCO (per page)	\$0.05099			
CAC	CAC Enabled			
Warranty	4-Year, Onsite, Next Business Day (NBD), Hard Drive Retention Included (if applicable). Includes all parts and Labor.			
Network Connectivity	Standard: 1000Base-T/100Base-TX/ 10Base-T Ethernet, USB2.0 Type A (3 Ports), USB2.0 Type B & SD Slot on Operation Panel			
Hard Drive	1.5 GB RAM Standard/190 GB HDD with Encryption and Data Overwrite, TCP/IP (IPv4, IPv6), IPX/SPX* FIPS 140-2 compliant with AES 256 encryption capability. ISO 15408 IEEE 2600.1 Protection Profile.			
Duplex	Auto Duplex - STANDARD			
Print Speed (Color)	20-ppm B&W & Full Color (LTR)			
Print Resolution	1200x1200			
Input Capacity	3 Trays - STANDARD.Paper Capacity Standard: 2 x 550 sheets + 100-sheet Bypass Tray, Maximum: 4,700 sheets (w/Tandem LCT + Side LCT) Supported Paper Sizes 1st Paper Tray: 8.5" x 11" (A4) 2nd Paper Tray: 7.25" x 10.5" – 11" x 17", Envelopes (with option) (up to A3) Bypass: Up to 12" x 18", Envelopes (A3) Custom Sizes: Width: 3.5" – 12" (90 – 305 mm), Length: 5.8" – 23.6" (148 – 600 mm)			
PRINT 11 x 17 (A3, TABLOID)	Includes Printing of 11 x 17 as well as Custom Sizes: Width: 3.5" – 12.6" (90 – 320 mm), Length: 5.8" – 23.6" (148 – 600 mm)			
Output Capacity	Standard: 500 sheets Maximum: 1,625 sheets MP C2003			
Scanning	Scan to E-Mail, PC, Network Shares; 600 X 600 Quality and 1200 dpi for Twain Scanning; Color, Duplex, Legal and 11"x17"-size Scanner Types; PDF, TIFF, JPG Scanner File Types as well as Single and Multi-Page TIFF/PDF, High Compression PDF, Single-Page JPEG and Embedded Scan-to-Email/Folder/URL and TWAIN, Color Scan Scanner Resolution BW and FC scanning at 100 – 600 dpi, Scanning Speed MP 200/300 dpi: 54 ipm Scan Modes Scan-to-Email (with LDAP support) Scan-to-Folder (SMB/FTP/NCP*) Scan-to-URLScan-to-Media (USB/SD Card)Network TWAIN Scanning			
Digital Sending	Scan to Email with Encryption-AES SHA 256 for attachments; Scan to Email with Digital Signature for attachments (Sign w/User CAC Credentials); Scan to Network File Shares w/User CAC and Active Directory Credentials.			
Power	Power Requirements 120V – 127V, 60Hz, 12A ; Power Consumption 1,580W or less TEC Value* MP C2003: 0.72 kWh/week* Typical Electricity Consumption by ENERGY STAR Qualified Imaging Equipment Test Procedure.			
Energy Star	YES. TEC Value* MP C2003: 0.72 kWh/week. Environmental Standard Energy Star version 2.0			
E-PEAT	Gold			
Dimensions	23.1" x 27" x 35.9"			
Weight	179 lbs			
Certifications	IPv6 Compliant.			
	DISA SPAN STIG Compliant.			
	NIAP / CCRA Common Criteria Certification at Assurance Level EAL 3 Augmented with ALC_FLR.2, Protection Profile Conformance to ISO 15408 IEEE Std 2600.1-2009.			
	DOD CAC enabled with FIPS 201 and SHA 256 Compliance.			
Fax	Fax is an option. Fax Option Type M3 (MP C2003) Resolution 200 x 100 dpi, 200 x 200 dpi, 400 x 400 dpi (with optional SAF memory) Modem Speed 33.6K – 2,400 bps w/Auto Fallback, Compression Method MH, MR, MMR, JBIG Transmission Speed G3: Approximately 2 seconds/page (JBIG) Scanning Speed Up to 68 spm, Auto Dialing 2,000 uick/Speed Dial numbers; 100 Group Dial numbers Memory Capacity Standard: 4 MB (approx. 320 pages), (SAF) Optional: 28 MB (approx. 2,240 pages) with optional SAF memory.			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	Paper Feed Unit PB3150 (1 x 550 sheets)	416545	\$242.36	
ADDITIONAL CART/PEDESTAL OR STAND	Cabinet Type F	100478FNG	\$90.08	
FINISHER/STAPLER	Internal Finisher SR3130	416543	\$524.40	

Digital Printing and Imaging (DPI) Ordering Guide



STACKER	Internal Shift-Sort Tray SH3070	416550	\$143.70	
FAX	Fax Option Type M3	416556	\$465.42	
Caster Table for additional Paper Tray PB3150	Caster Table Type M3	416737	\$99.73	
ADDITIONAL PAPER TRAYS	Paper Feed Unit PB3220 (2 x 550 sheets)	417268	\$529.76	
STAPLES	Staple Type T; 5000 per Ctg (1 Ctg per Ctn)	415009	\$26.81	
STAPLES	Staple Refill Type T; 5,000 per Crtg. (2 Crtg/Carton)	415010	\$28.95	
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Print Cartridge Black MP C2503; 1 Each 15,000	IDI-841918-PSC2016	\$39.68	
High Yield Toner : Cyan	Print Cartridge Cyan MP C2505; 1 Each 9,500	IDI-841921-PSC2016	\$96.51	
High Yield Toner : Magenta	Print Cartridge Magenta MP C2504; 1 Each 9,500	IDI-841920-PSC2016	\$96.51	
High Yield Toner : Yellow	Print Cartridge Yellow MP C2503; 1 Each 9,500	IDI-841919-PSC2016	\$96.51	
Waste Toner Bottle / Toner Collection Kit	Waste Toner Bottle MP C6003; 1 Each 100,000	IDI-416890-PSC2016	\$8.58	
Covered by Vendor for Four Years:				
Fuser - Included as part of warranty				
Photoconductor/Drum Kit - Included as part of warranty				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color 11X17 MFP 220V				
Vendor: <i>Intelligent Decisions</i>				
OEM/Model:	Part Number:		CONUS	OCONUS
Lexmark x950de	22ZT244		\$11,746.24	\$11,996.98
Key Attributes:				
TCO (per page)	\$0.09173			
CAC	CAC Enabled			
Warranty	Device includes four (4) year warranty with onsite, next business day service. For service in Hawaii, Alaska and other OCONUS locations, add one (1) business day to the onsite response time.			
Network Connectivity	10/100Base-T Ethernet			
Hard Drive	FIPS 140-2 Compliant AES 256 Encryption Capable Hard Drive to be retained by Air Force			
Duplex	Integrated Duplex Print Speed (Letter, Black) Duplex Up to 45 spm Print Speed (Letter, Color) Duplex Up to 40 spm			
Print Speed (Color)	Print Speed (Letter, Black) Up to 45 ppm Print Speed (Letter, Color) Up to 40 ppm			
Print Resolution	Print Resolution, Black 1200 x 1200 dpi 2400 Image Quality Print Resolution, Color 1200 x 1200 dpi 2400 Image Quality			
Input Capacity	Paper Input Capacity, Standard Up to 620 pages 20 lb or 75 gsm bond Paper Input Capacity, Maximum Up to 5140 pages 20 lb or 75 gsm bon			
PRINT 11 x 17 (A3, TABLOID)	Yes, Media Sizes Supported 10 Envelope 7 3/4 Envelope A3, A4 A5 C5 Envelope DL Envelope Executive Folio JIS-B4 JIS-B5 Ledger Legal Letter Statement Universal Super tabloid (12 x 18 in.) Oficio A6			
Output Capacity	Paper Output Capacity, Standard Up to 500 pages 20 lb or 75 gsm bond Paper Output Capacity, Maximum Up to 3750 pages 20 lb or 75 gsm bond			
Scanning	Scan Area, Maximum 11.69 x 17 inches ADF Scan RADF (Reversing Duplex) Scanner Type Flatbed scanner with ADF Scan Technology CCD Optical Scanning Resolution 600 X 600 ppi Scan File Formats (Send as) JPEG, JPG PDF Secure PDF TIFF XPS Archival PDF (A-1a, A-1b) Searchable PDF (optional OCR with 1GB RAM and hard disk required) Highly compressed PDF (1GB RAM and hard disk required) Scan Destinations e-mail FTP USB Flash drive USB or Network connected computer Lexmark Document Solutions Suite (LDSS)			
Digital Sending	Scan to Email with Encryption-AES 256 for attachments; Scan to Email with Digital Signature for attachments (Sign w/User CAC Credentials); Scan to Network File Shares w/User CAC and Active Directory Credentials			
Power	220V AC 50/60 Hz			
Energy Star	Energy Star			
E-PEAT	Gold			
Dimensions	30.01 x 25.20 x 26.97 in.			
Weight	255.8 lb.			
Certifications	Network Protocol Support TCP/IP IPv4 AppleTalk™ TCP/IP IPv6 TCP UDP			
	Lexmark devices are compliant and configured to meet DISA MFD and Network Printer STIG_v2r8_RTM_ (Revalidated 12 April 2016)			
	NIAP Compliant			
	Lexmark devices with CAC capability are compliant with FIPS 201			
Fax	Fax Transmission Speed < 3 seconds per page			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	520 Sheet Input Drawer A3, A4	22Z0012	\$431.80	\$446.80
ADDITIONAL CART/PEDESTAL OR STAND	3x520 Sheet Drawer Stand A3	22Z0013	\$911.74	\$926.74
FINISHER	Standard Finisher- 3 Hole	22Z0016	\$1,350.87	\$1,365.87
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Black Cartridge (32K)	IDI-C950X2KG-PSC2016	\$121.50	\$136.50
High Yield Toner : Cyan	Cyan Cartridge (22K)	IDI-C950X2CG-PSC2016	\$226.43	\$241.43

Digital Printing and Imaging (DPI) Ordering Guide



High Yield Toner : Magenta	Magenta Cartridge (22K)	IDI-C950X2MG-PSC2016	\$226.43	\$241.43
High Yield Toner : Yellow	Yellow Cartridge (22K)	IDI-C950X2YG-PSC2016	\$226.43	\$241.43
Waste Toner Bottle / Toner Collection Kit	Waste Toner Bottle	IDI-C950X76G-PSC2016	\$.01	\$15.01
Covered by Vendor for Four Years:				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



LEXMARK MFP

Black and White Office MFP 220V				
Vendor: Lexmark				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark MX511de	35ST264-LMK	N/A	\$2,100.00	
Key Attributes:				
TCO (per page)	\$0.02319			
CAC	CAC Enabled			
Warranty	4 Year OnSite Repair - MX510/511			
Network Connectivity	Ethernet			
Hard Drive	Optional 320+ GB Hard Disk			
Duplex	Yes			
Print Speed (Monochrome)	Up to 45 ppm (simplex); Up to 20 spm (duplex)			
Print Resolution	1200x1200			
Input Capacity	Up to 350 pages 20 lb or 75 gsm bond (standard); Up to 2000 pages 20 lb or 75 gsm bond (maximum)			
Output Capacity	Up to 150 pages 20 lb or 75 gsm bond			
Scanning	Yes			
Digital Sending	Yes			
Power	220-240V AC 50/60 Hz			
Energy Star	Yes			
EPEAT® Silver	Silver			
Dimensions	19.8 x 19.3 x 17.8 in.			
Weight	48 lb.			
Certifications	IPv6 compliant			
	Compliant DISA Multi-Function Device and Network Printers STIG			
	Compliant NIAP or CCRA Common Criteria Certification (Compliant or Pending)			
	Compliant DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance			
Fax	Yes			
Upgrades:				
Type	Description	Part Number	CONUS:	OCONUS
ENCRYPTED HARD DRIVE	320 GB (Option)	27X0210	\$346.00	\$346.00
ADDITIONAL PAPER TRAY	550-Sheet Tray	35S0567	\$162.00	\$162.00
ADDITIONAL CART/PEDESTAL OR STAND	Adjustable Printer Stand	35S8502	\$244.00	\$244.00
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	601H High Yield Return Program Toner Cartridge (20K)	LMK-60F0X0G-PSC2016	\$225.00	\$225.00
Imaging Unit, Black	500Z Black Return Program Imaging Unit/Photoconductor (60K)	LMK-50F0Z0G-PSC2016	\$25.00	\$25.00
Covered by Vendor for Four Years:				
MAINTENANCE KIT – 220V Fuser Maintenance Kit -40X9136				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 110V				
Vendor: <i>Lexmark</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark MX811dtfe	24TT815-LMK	\$4,900.00	\$5,700.00	
Key Attributes:				
TCO (per page)	\$0.01710			
CAC	Yes - Standard			
Warranty	4-Year, Onsite, Next Business Day (NBD), Hard Drive Retention (if applicable)			
Network Connectivity	Ethernet			
Hard Drive	320+ GB Hard Disk			
Duplex	Yes			
Print Speed (Monochrome)	Up to 63 ppm (simplex); Up to 38 spm (duplex)			
Print Resolution	1200x1200			
Input Capacity	Up to 1750 pages 20 lb or 75 gsm bond (standard); Up to 2300 pages 20 lb or 75 gsm bond (maximum)			
Output Capacity	Up to 1050 pages 20 lb or 75 gsm bond			
Scanning	Yes			
Digital Sending	Yes			
Power	110V AC 50/60 Hz			
Energy Star	YES			
E-PEAT	Silver			
Dimensions	48.9 x 26.1 x 28.9 in.			
Weight	208.6 lb.			
Certifications	IPV6			
	Compliant DISA Multi-Function Device and Network Printers STIG			
	Compliant NIAP or CCRA Common Criteria Certification (Compliant or Pending)			
	Compliant DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance			
Fax	Yes			
Included in base	Paper tray, printer stand, finisher, stapler, stacker			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	621H High Yield Return Program Toner Cartridge (45K)	LMK-62D0X0G-PSC2016	\$201.00	\$201.00
Imaging Unit, Black	520Z Black Return Program Imaging Unit/Photoconductor (100K)	LMK-52D0Z0G-PSC2016	\$20.55	\$20.55
Covered by Vendor for Four Years:				
Return Program Fuser Maintenance kit, 110-120V, Type 00, Ltr- 40X8420				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 220V				
Vendor: <i>Lexmark</i>				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark MX811dtfe	24TT810-LMK		\$5,300	
Key Attributes:				
TCO (per page)	\$0.01815			
CAC	Yes - Standard			
Warranty	4-Year, Onsite, Next Business Day (NBD), Hard Drive Retention (if applicable)			
Network Connectivity	Ethernet			
Hard Drive	320+ GB Hard Disk			
Duplex	Yes			
Print Speed (Monochrome)	Up to 63 ppm (simplex); Up to 38 spm (duplex)			
Print Resolution	1200x1200			
Input Capacity	Up to 1750 pages 20 lb or 75 gsm bond (standard); Up to 2300 pages 20 lb or 75 gsm bond (maximum)			
Output Capacity	Up to 1050 pages 20 lb or 75 gsm bond			
Scanning	Yes			
Digital Sending	Yes			
Power	220-240V AC 50/60 Hz			
Energy Star	YES			
E-PEAT	Silver			
Dimensions	48.9 x 26.1 x 28.9 in.			
Weight	208.6 lb.			
Certifications	IPV6			
	Compliant DISA Multi-Function Device and Network Printers STIG			
	Compliant NIAP or CCRA Common Criteria Certification			
	Compliant DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance			
Fax	Yes			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	621H High Yield Return Program Toner Cartridge (45K)	LMK-62D0X0G-PSC2016		\$201.00
Imaging Unit, Black	520Z Black Return Program Imaging Unit/Photoconductor (100K)	LMK-52D0Z0G-PSC2016		\$ 20.55
Covered by Vendor for Four Years:				
Return Program Fuser Maintenance kit, 220-240V, Type 04, Ltr- 40X8421				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office MFP 220V				
Vendor: Lexmark				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark CX510de	28ET650-LMK		\$2,500.00	
Key Attributes:				
TCO (per page)	\$0.04900			
CAC	CAC Enabled			
Warranty	4-Year, Onsite, Next Business Day (NBD), Hard Drive Retention (if applicable) - CX510			
Network Connectivity	Ethernet			
Hard Drive	Optional 320+ GB Hard Disk			
Duplex	Yes			
Print Speed (Color)	Up to 32 ppm (simplex); Up to 15 spm (duplex)			
Print Resolution	1200x1200			
Input Capacity	Up to 250+1 pages 20 lb or 75 gsm bond (standard); Up to 1450+1 pages 20 lb or 75 gsm bond (maximum)			
Output Capacity	Up to 150 pages 20 lb or 75 gsm bond			
Scanning	Yes			
Digital Sending	Yes			
Power	220-240V AC 50/60 Hz			
Energy Star	Yes			
EPEAT® Silver	Silver			
Dimensions	18.44 x 17.48 x 23.2 in. (H x W x D)			
Weight	62 lb.			
Certifications	IPV6			
	Compliant DISA Multi-Function Device and Network Printers STIG			
	Compliant NIAP or CCRA Common Criteria Certification (Compliant or Pending)			
	Compliant DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance			
Fax	Yes			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ENCRYPTED HARD DRIVE	320 GB Hard Disk	27X0200	\$346.00	\$346.00
ADDITIONAL PAPER TRAY	550-Sheet Tray	38C0636	\$144.00	\$144.00
ADDITIONAL CART/PEDESTAL OR STAND	Adjustable Printer Stand	35S8502	\$340.00	\$340.00
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	CX410, CX510 Black High Yield Return Program Toner Cartridge (8K)	LMK-80C0XKG-PSC2016	\$104.70	\$104.70
High Yield Toner : Cyan	CX410, CX510 Cyan High Yield Return Program Toner Cartridge (4K)	LMK-80C0XCG-PSC2016	\$95.30	\$95.30
High Yield Toner : Magenta	CX410, CX510 Magenta High Yield Return Program Toner Cartridge (4K)	LMK-80C0XMG-PSC2016	\$95.30	\$95.30
High Yield Toner : Yellow	CX410, CX510 Yellow High Yield Return Program Toner Cartridge (4K)	LMK-80C0XYG-PSC2016	\$95.30	\$95.30
Black & Color Imaging Kit (40K)	Black & Color Imaging Kit (40K)	LMK-70C0Z5G-PSC2016	\$194.00	\$194.00
Covered by Vendor for Four Years:				
Maintenance Kit - 220V Maintenance Kit (85K) - 40X7616				
C54X Toner Waste Bottle - C540X75G				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 110V				
Vendor: Lexmark				
OEM/Model:	Part Number:		CONUS	OCONUS
Lexmark CX860dte	42KT080		\$4,999.00	\$5,699.00
Key Attributes:				
TCO (per page)	\$0.02921			
CAC	CAC Enabled			
Warranty	4-Year, Onsite, Next Business Day (NBD), Hard Drive Retention (if applicable) - CX860			
Network Connectivity	Ethernet			
Hard Drive	Included			
Duplex	Yes			
Print Speed (Color)	Up to 60 ppm (simplex); Up to 60 spm (duplex)			
Print Resolution	1200x1200			
Input Capacity	Up to 1750 pages 20 lb or 75 gsm bond (standard); Up to 4500 pages 20 lb or 75 gsm bond (maximum)			
Output Capacity	Up to 500 pages 20 lb or 75 gsm bond (standard); Up to 1950 pages 20 lb or 75 gsm bond (maximum)			
Scanning	Yes			
Digital Sending	Yes			
Power	110V AC 50/60 Hz			
Energy Star	Yes			
EPEAT® Silver	Gold			
Dimensions	45.8 x 22 x 23.15 in.			
Weight	288.9 lb.			
Certifications	IPv6			
	Compliant DISA Multi-Function Device and Network Printers STIG			
	Compliant NIAP or CCRA Common Criteria Certification (Compliant or Pending)			
	Compliant DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance			
Fax	Yes			
Included in base	Paper tray and printer stand			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	550-Sheet Tray	21K0567	\$246.00	\$246.00
Add a stapler finisher	CX825/CX860 Inline Staple Finisher	42K2300	\$284.00	\$284.00
Add a stapler finisher	Multi-position Staple, Hole Punch Finisher LV	42K1267	\$1624.00	\$1624.00
Add a stacker finisher	Multi-position Staple, Hole Punch Finisher (tall) LV	42K1597	\$1624.00	\$1624.00
Consumables:				
High Yield Toner : Black	CX860 Black Ultra High Yield Return Program Toner Cartridge (55K)	LMK-82K0UKG-PSC2016	\$326.69	\$326.69
High Yield Toner : Cyan	CX82x, CX860 Cyan Ultra High Yield Return Program Toner Cartridge (55K)	LMK-82K0UCG-PSC2016	\$495.00	\$495.00
High Yield Toner : Magenta	CX82x, CX860 Magenta Ultra High Yield Return Program Toner Cartridge (55K)	LMK-82K0UMG-PSC2016	\$495.00	\$495.00
High Yield Toner : Yellow	CX82x, CX860 Yellow Ultra High Yield Return Program Toner Cartridge (55K)	LMK-82K0UYG-PSC2016	\$495.00	\$495.00
Photoconductor / Drum Kit	Black Imaging Unit (175K)	LMK-72K0P0G-PSC2016	\$73.00	\$73.00
Photoconductor / Drum Kit	Color Imaging Unit (175K)	LMK-72K0Q0G-PSC2016	\$220.00	\$220.00
Covered by Vendor for Four Years:				
CS82x, CX82x, CX86x Combo Fuser & ITM Maintenance Kit, 110V-120V (300K) - 41X0928				
Waste Toner Bottle – 72K0W00				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 220V				
Vendor: Lexmark				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark CX860dte	42KT085		\$6,300.00	
Key Attributes:				
TCO (per page)	\$0.03260			
CAC	CAC Enabled			
Warranty	4-Year, Onsite, Next Business Day (NBD), Hard Drive Retention (if applicable) - CX860			
Network Connectivity	Ethernet			
Hard Drive	Included			
Duplex	Yes			
Print Speed (Color)	Up to 60 ppm (simplex); Up to 60 spm (duplex)			
Print Resolution	1200x1200			
Input Capacity	Up to 1750 pages 20 lb or 75 gsm bond (standard); Up to 4500 pages 20 lb or 75 gsm bond (maximum)			
Output Capacity	Up to 500 pages 20 lb or 75 gsm bond (standard); Up to 1950 pages 20 lb or 75 gsm bond (maximum)			
Scanning	Yes			
Digital Sending	Yes			
Power	220-240V AC 50/60 Hz			
Energy Star	Yes			
EPEAT® Silver	Gold			
Dimensions	45.8 x 22 x 23.15 in.			
Weight	288.9 lb.			
Certifications	IPv6			
	Compliant DISA Multi-Function Device and Network Printers STIG			
	Compliant NIAP or CCRA Common Criteria Certification (Compliant or Pending)			
	Compliant DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance			
Included in base	Paper tray and printer stand			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	550-Sheet Tray	21K0567	\$246.00	\$246.00
Add stapler finisher	CX825/CX860 Inline Staple Finisher	42K2300	\$284.00	\$284.00
Consumables				
High Yield Toner : Black	CX860 Black Ultra High Yield Return Program Toner Cartridge (55K)	LMK-82K0UKG-PSC2016	\$326.69	\$326.69
High Yield Toner : Cyan	CX82x, CX860 Cyan Ultra High Yield Return Program Toner Cartridge (55K)	LMK-82K0UCG-PSC2016	\$495.00	\$495.00
High Yield Toner : Magenta	CX82x, CX860 Magenta Ultra High Yield Return Program Toner Cartridge (55K)	LMK-82K0UMG-PSC2016	\$495.00	\$495.00
High Yield Toner : Yellow	CX82x, CX860 Yellow Ultra High Yield Return Program Toner Cartridge (55K)	LMK-82K0UYG-PSC2016	\$495.00	\$495.00
Photoconductor / Drum Kit	Black Imaging Unit (175K)	LMK-72K0P0G-PSC2016	\$73.00	\$73.00
Photoconductor / Drum Kit	Color Imaging Unit (175K)	LMK-72K0Q0G-PSC2016	\$220.00	\$220.00
Covered by Vendor for Four Years:				
CS82x, CX82x, CX86x Combo Fuser & ITM Maintenance Kit, 220V-240V – 41X0929Waste Toner Bottle – 72K0W00				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Lexmark Color 11X17 MFP 110V					
Vendor: Lexmark					
OEM/Model:	Part Number:	CONUS	OCONUS		
Lexmark X954dhe	22ZT249-LMK	\$13,500.00	\$14,200.00		
Key Attributes:					
TCO (per page)	\$0.06132				
CAC	CAC Enabled				
Warranty	4-Year, Onsite, Next Business Day (NBD), Hard Drive Retention (if applicable) - X954				
Network Connectivity	Ethernet				
Hard Drive	Included				
Duplex	Yes				
Print Speed (Color)	Up to 55 ppm (black); Up to 50 ppm (color)				
Print Resolution	1200x1200				
Input Capacity	Up to 3140 pages 20 lb or 75 gsm bond (standard); Up to 5140 pages 20 lb or 75 gsm bond (maximum)				
PRINT 11 x 17 (A3, TABLOID)	Yes				
Output Capacity	Up to 500 pages 20 lb or 75 gsm bond (standard); Up to 3750 pages 20 lb or 75 gsm bond (maximum)				
Scanning	Yes				
Digital Sending	Yes				
Power	110V AC 50/60 Hz				
Energy Star	Yes				
EPEAT® Silver	Silver				
Dimensions	44.38 x 25.20 x 26.97 in.				
Weight	351.8 lb.				
Certifications	IPV6				
	Compliant DISA Multi-Function Device and Network Printers STIG				
	Compliant NIAP or CCRA Common Criteria Certification (Compliant or Pending)				
	Compliant DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance				
Fax	Yes				
Included in base	2520-sheet High Capacity Feeder and stand				
Upgrades:					
Type	Description	Part Number	CONUS	OCONUS	
FINISHER	Standard Finisher- 3 Hole	22Z0016	\$1,444.00	\$1,444.00	
STAPLER	C95x/X95x Booklet Finisher	22Z0017	\$2,311.00	\$2,311.00	
STACKER	C95x/X95x Standard Finisher – 4 Hole	22Z0175	\$1,444.00	\$1,444.00	
Consumables:					
Type	Description	Part Number	CONUS	OCONUS	
High Yield Toner : Black	X950, X952, X954 Black Extra High Yield Toner Cartridge (33K)	LMK-C950X2KG-PSC2016	\$120.00	\$120.00	
High Yield Toner : Cyan	X950, X952, X954 Cyan Extra High Yield Toner Cartridge (22K)	LMK-C950X2CG-PSC2016	\$220.00	\$220.00	
High Yield Toner : Magenta	X95x Magenta Extra High Yield Toner Cartridge (22K)	LMK-C950X2MG-PSC2016	\$220.00	\$220.00	
High Yield Toner : Yellow	X950, X952, X954 Yellow Extra High Yield Toner Cartridge (22K)	LMK-C950X2YG-PSC2016	\$220.00	\$220.00	
Waste Toner Bottle / Toner Collection Kit	Waste Toner Bottle	LMK-C950X76G-PSC2016	\$20.00	\$20.00	
Imaging Unit, Black	Mono Imaging Unit/PC (1) 115,000	LMK-C950X71G-PSC2016	\$140.00	\$140.00	
Imaging Unit, Magenta	Color Imaging Unit/PC (3) 115,000	LMK-C950X73G-PSC2016	\$425.00	\$425.00	
Covered by Vendor for Four Years:					

Digital Printing and Imaging (DPI) Ordering Guide



MAINTENANCE KIT - 110V Fuser Maintenance Kit (160K) - 40X7540

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Lexmark Color 11X17 MFP 220V				
Vendor: Lexmark				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark X954dhe	22ZT246-LMK		\$14,500.00	
Key Attributes:				
TCO (per page)	\$0.06479			
CAC	CAC Enabled			
Warranty	4-Year, Onsite, Next Business Day (NBD), Hard Drive Retention (if applicable) - X954			
Network Connectivity	Ethernet			
Hard Drive	Included			
Duplex	Yes			
Print Speed (Color)	Up to 55 ppm (black); Up to 50 ppm (color)			
Print Resolution	1200x1200			
Input Capacity	Up to 3140 pages 20 lb or 75 gsm bond (standard); Up to 5140 pages 20 lb or 75 gsm bond (maximum)			
PRINT 11 x 17 (A3, TABLOID)	Yes			
Output Capacity	Up to 500 pages 20 lb or 75 gsm bond (standard); Up to 3750 pages 20 lb or 75 gsm bond (maximum)			
Scanning	Yes			
Digital Sending	Yes			
Power	220V-240V AC 50/60 Hz			
Energy Star	Yes			
EPEAT® Silver	Silver			
Dimensions	44.38 x 25.20 x 26.97 in.			
Weight	351.8 lb.			
Certifications	IPV6			
	Compliant DISA Multi-Function Device and Network Printers STIG			
	Compliant NIAP or CCRA Common Criteria Certification (Compliant or Pending)			
	Compliant DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance			
Included in base	2520-sheet High Capacity Feeder and stand			
Fax	Yes			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
FINISHER	Standard Finisher- 3 Hole	22Z0016	\$1,444.00	\$1,444.00
STAPLER	C95x/X95x Booklet Finisher	22Z0017	\$2,311.00	\$2,311.00
STACKER	C95x/X95x Standard Finisher – 4 Hole	22Z0175	\$1,444.00	\$1,444.00
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	X950, X952, X954 Black Extra High Yield Toner Cartridge (33K)	LMK-C950X2KG-PSC2016	\$120.00	\$120.00
High Yield Toner : Cyan	X950, X952, X954 Cyan Extra High Yield Toner Cartridge (22K)	LMK-C950X2CG-PSC2016	\$220.00	\$220.00
High Yield Toner : Magenta	X95x Magenta Extra High Yield Toner Cartridge (22K)	LMK-C950X2MG-PSC2016	\$220.00	\$220.00
High Yield Toner : Yellow	X950, X952, X954 Yellow Extra High Yield Toner Cartridge (22K)	LMK-C950X2YG-PSC2016	\$220.00	\$220.00
Waste Toner Bottle / Toner Collection Kit	Waste Toner Bottle	LMK-C950X76G-PSC2016	\$20.00	\$20.00
Imaging Unit, Black	Mono Imaging Unit/PC (1) 115,000	LMK-C950X71G-PSC2016	\$140.00	\$140.00
Imaging Unit, Magenta	Color Imaging Unit/PC (3) 115,000	LMK-C950X73G-PSC2016	\$425.00	\$425.00
Covered by Vendor for Four Years:				
MAINTENANCE KIT – 220V Fuser Maintenance Kit (320K) - 40X7569				

Digital Printing and Imaging (DPI) Ordering Guide



[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



NCS TECHNOLOGIES MFP

Black and White Office MFP 110V				
Vendor: NCS				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark MX611de LV w/CAC	35ST802-NCS	\$1,807.01	\$2086.84	
Key Attributes:				
TCO (per page)	\$0.02081			
CAC	CAC Enabled			
Warranty	Four-year Onsite warranty, Next Business Day			
Network Connectivity	Gigabit Ethernet (10/100/1000) BaseTX (RJ-45)			
Hard Drive	Hard Drive Optional			
Duplex	Integrated Duplex			
Print Speed (Monochrome)	Up to 50 ppm; Up to 22spm (duplex)			
Print Resolution	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi			
Input Capacity	Up to 650 pages standard, 2,300 pages maximum			
Output Capacity	Up to 250 pages standard and maximum			
Scanning	Color and network scanning, maximum scan area 8.5 x 14 inches, CCD scan technology, 600 x 600 ppi (color), 1200 x 600 ppi (mono), flatbed scanner with ADF			
Digital Sending	Compliant with specified encryption and CAC/active directory credential standards. Up to 45 / 48 (black), 30 / 32 (color) sides per minute simplex; 20 / 21 (black), 13 / 14 (color) sides per minute duplex			
Power	110V AC 50/60 Hz			
Energy Star	Energy Star V2.0			
E-PEAT	Silver			
Dimensions	22.1 x 19.3 x 18.9 in.			
Weight	52 lb.			
Certifications	IPv6 Capable			
	DISA STIG Compliant			
	NIAP CC Certification; Compliant			
	DoD CAC Enabled w/ SHA 256 Compliant, FIPS 201 Compliant			
Included in Base	Fax			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ENCRYPTED HARD DRIVE	160GB Hard Disk Drive, FIPS 140-2 Compliant AES 256 Encryption Capable	27X0210-NCS	\$380.48	\$400.48
ADDITIONAL PAPER TRAY	550-Sheet Tray MS/MX 31x/41x/51x/61x	35S0567-NCS	\$201.11	\$221.11
ADDITIONAL CART/PEDESTAL OR STAND	Adjustable Printer Stand	35S8502-NCS	\$282.20	\$302.20
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	60x Black Toner Cartridge Extra High Return (20K)	NCS-60FOX0G-PSC2016	\$203.14	\$213.14
Standard Yield Toner : Black	60x Black Toner Cartridge Standard Return (10K)	NCS-60FOH0G-PSC2016	\$114.48	124.48
Photoconductor / Drum Kit	Imaging Unit/Photoconductor (60K)	NCS-50F0Z0G-PSC2016	\$23.85	\$33.85
Covered by Vendor for Four Years:				
Maintenance Kit - 110V Fuser Maintenance Kit (200K) - 40X9135-NCS				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Office MFP 220V				
Vendor: NCS				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark MX611de HV w/CAC	35ST810-NCS		\$2,171.08	
Key Attributes:				
TCO (per page)	\$0.02287			
CAC	CAC Enabled			
Warranty	Four-year Onsite warranty, Next Business Day			
Network Connectivity	Gigabit Ethernet (10/100/1000) BaseTX (RJ-45)			
Hard Drive	Hard Drive Optional			
Duplex	Integrated Duplex			
Print Speed (Monochrome)	Up to 50 ppm; Up to 22spm (duplex)			
Print Resolution	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi			
Input Capacity	Up to 650 pages standard, 2,300 pages maximum			
Output Capacity	Up to 250 pages standard and maximum			
Scanning	Color and network scanning, maximum scan area 8.5 x 14 inches, CCD scan technology, 600 x 600 ppi (color), 1200 x 600 ppi (mono), flatbed scanner with ADF			
Digital Sending	Compliant with specified encryption and CAC/active directory credential standards. Up to 45 / 48 (black), 30 / 32 (color) sides per minute simplex; 20 / 21 (black), 13 / 14 (color) sides per minute duplex			
Power	220V AC 50/60 Hz			
Energy Star	Energy Star V2.0			
E-PEAT	Silver			
Dimensions	22.1 x 19.3 x 18.9 in.			
Weight	52 lb.			
Certifications	IPv6 Capable			
	DISA STIG Compliant			
	NIAP CC Certification; Compliant			
	DoD CAC Enabled w/ SHA 256 Compliant, FIPS 201 Compliant			
Fax	B&W faxing			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ENCRYPTED HARD DRIVE	160GB Hard Disk Drive, FIPS 140-2 Compliant AES 256 Encryption Capable	27X0210-NCS	\$380.48	\$400.48
ADDITIONAL PAPER TRAY	550-Sheet Tray MS/MX 31x/41x/51x/61x	35S0567-NCS	\$201.11	\$221.11
ADDITIONAL CART/PEDESTAL OR STAND	Adjustable Printer Stand	35S8502-NCS	\$282.20	\$302.20
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	60x Black Toner Cartridge Extra High Return (20K)	NCS-60F0X0G-PSC2016	\$203.14	\$213.14
Standard Yield Toner : Black	60x Black Toner Cartridge Standard Return (10K)	NCS-60F0H0G-PSC2016	\$114.48	\$124.48
Photoconductor / Drum Kit	Imaging Unit/Photoconductor (60K)	NCS-50F0Z0G-PSC2016	\$23.85	\$33.85
Covered by Vendor for Four Years:				
Maintenance Kit - 220V Fuser Maintenance Kit (200K) - 40X9136-NCS				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 110V				
Vendor: NCS				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark MX810dtfe LV w/CAC	24TT488-NCS	\$3,717.81	\$4,638.63	
Key Attributes:				
TCO (per page)	\$0.01459			
CAC	CAC Enabled			
Warranty	Four-year Onsite warranty, Next Business Day			
Network Connectivity	Gigabit Ethernet (10/100/1000) BaseTX (RJ-45)			
Hard Drive	160GB hard drive included, FIPS 140-2 Compliant AES 256 Encryption Capable			
Duplex	Integrated Duplex			
Print Speed (Monochrome)	Up to 55 ppm, Up to 33 spm (duplex)			
Print Resolution	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi			
Input Capacity	Up to 1,750 pages standard, 2,300 pages maximum			
Output Capacity	Up to 1,050 pages standard and maximum			
Scanning	Color and network scanning, maximum scan area 8.5 x 14 inches, CCD scan technology, 300 x 300 ppi (color), 600 x 600 ppi (mono), flatbed scanner with ADF			
Digital Sending	Compliant with specified encryption and CAC/active directory credential standards. Up to 66 / 70 (black), 66 / 70 (color) sides per minute simplex; 132/140 (black), 132/140 (color) sides per minute duplex			
Power	110V AC 50/60 Hz			
Energy Star	Energy Star V2.0			
E-PEAT	Gold			
Dimensions	48.9 H x 26.1 W x 28.9 D (Inches)			
Weight	208.6 lb.			
Certifications	IPv6 Capable			
	DISA STIG Compliant			
	NIAP CC Certification; Compliant			
	DoD CAC Enabled w/ SHA 256 Compliant, FIPS 201 Compliant			
Included in base	Paper tray, cart/pedestal/stand, encrypted hard drive, finisher, stapler, stacker, fax			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	62x Black Toner Cartridge Extra High Return (45K)	NCS-62D0X0G-PSC2016	\$224.78	\$234.78
Standard Yield Toner : Black	62x Black Toner Cartridge Extra High Return (25K)	NCS-62D0H0G-PSC2016	\$190.00	\$200.00
Photoconductor / Drum Kit	Imaging Unit/Photoconductor (100K)	NCS-52D0Z0G-PSC2016	\$29.31	\$39.31
Covered by Vendor for Four Years:				
Maintenance Kit - 110V Fuser Maintenance Kit (200K) - 40X8420-NCS				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Black and White Performance MFP 220V				
Vendor: NCS				
OEM/Model:	Part Number:	OCONUS		
Lexmark MX810dtfe HV w/CAC	24TT490-NCS	\$5,149.44		
Key Attributes:				
TCO (per page)	\$0.01832			
CAC	CAC Enabled			
Warranty	Four-year Onsite warranty, Next Business Day			
Network Connectivity	Gigabit Ethernet (10/100/1000) BaseTX (RJ-45)			
Hard Drive	160GB hard drive included, FIPS 140-2 Compliant AES 256 Encryption Capable			
Duplex	Integrated Duplex			
Print Resolution	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi			
Input Capacity	Up to 1,750 pages standard, 2,300 pages maximum			
Output Capacity	Up to 1,050 pages standard and maximum			
Scanning	Color and network scanning, maximum scan area 8.5 x 14 inches, CCD scan technology, 300 x 300 ppi (color), 600 x 600 ppi (mono), flatbed scanner with ADF			
Digital Sending	Compliant with specified encryption and CAC/active directory credential standards. Up to 66 / 70 (black), 66 / 70 (color) sides per minute simplex; 132/140 (black), 132/140 (color) sides per minute duplex			
Power	220V AC 50/60 Hz			
Energy Star	Energy Star V2.0			
E-PEAT	Gold			
Dimensions	48.9 H x 26.1 W x 28.9 D (Inches)			
Weight	208.6 lb.			
Certifications	IPv6 Capable			
	DISA STIG Compliant			
	NIAP CC Certification; Compliant			
	DoD CAC Enabled w/ SHA 256 Compliant, FIPS 201 Compliant			
Included in base	Paper tray, cart/pedestal/stand, encrypted hard drive, finisher, stapler, stacker, fax			
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	62x Black Toner Cartridge Extra High Return (45K)	NCS-62D0X0G-PSC2016		\$234.78
Standard Yield Toner : Black	62x Black Toner Cartridge Extra High Return (25K)	NCS-62D0H0G-PSC2016		\$200.00
Photoconductor / Drum Kit	Imaging Unit/Photoconductor (100K)	NCS-52D0Z0G-PSC2106		\$39.31
Covered by Vendor for Four Years				
Maintenance Kit - 220V Fuser Maintenance Kit (200K) - 40X8421-NCS				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office MFP 110V				
Vendor: NCS				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark CX725de LV w/CAC	40CT030-NCS	\$3,027.06	\$3,492.51	
Key Attributes:				
TCO (per page)	\$0.07471			
CAC	CAC Enabled			
Warranty	Four-year Onsite warranty, Next Business Day			
Network Connectivity	Gigabit Ethernet (10/100/1000) BaseTX (RJ-45)			
Hard Drive	Optional Hard Drive Available			
Duplex	Integrated Duplex			
Print Speed (Color)	Up to 50 ppm (black/color), Up to 40 spm (black duplex)			
Print Resolution	Print Resolution, Black/color 1200 x 1200 dpi 4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Up to 650 pages Standard; 2300 pages Maximum			
Output Capacity	Up to 300 pages			
Scanning	Color Scanning, maximum scan area 8.5 x 14 inches, CCD scan technology, 600 x 600 ppi, Flatbed scanner with ADF			
Digital Sending	Compliant with specified encryption and CAC/active directory credential standards. Up to 34/35 (black), 33/35 (color) sides per minute simplex; 12/12 (black), 12/12 (color) sides per minute duplex			
Power	110V AC 50/60 Hz			
Energy Star	Energy Star V2.0			
E-PEAT	Gold			
Dimensions	H 37.6" W 27.6" D 28.9"			
Weight	141 lb			
Certifications	IPv6 Capable			
	DISA STIG Compliant			
	NIAP CC Certification; Compliant			
	DoD CAC Enabled w/ SHA 256 Compliant, FIPS 201 Compliant			
Fax	Included in Base			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ENCRYPTED HARD DRIVE	Hard Disk Drive	27X0400-NCS	\$358.60	\$368.60
ADDITIONAL PAPER TRAY	550 Sheet Tray	40C2100-NCS	\$296.28	\$306.28
ADDITIONAL CART/PEDESTAL OR STAND	Adjustment Stand	40C2300-NCS	\$292.82	\$302.82
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Black Toner (25K)	NCS-84C0HKG-PSC2016	\$305.54	\$315.54
High Yield Toner : Cyan	Cyan Toner (16K)	NCS-84C0HCG-PSC2016	\$294.07	\$304.07
High Yield Toner : Magenta	Magenta Toner (16K)	NCS-84C0HMG-PSC2016	\$294.07	\$304.07
High Yield Toner : Yellow	Yellow Toner (16K)	NCS-84C0HYG-PSC2016	\$294.07	\$304.07
Imaging Unit, Black	Black Imaging Unit (150K)	NCS-74C0ZKG-PSC2016	\$63.28	\$73.28
Imaging Unit, Magenta	Color (Magenta/Cyan/Yellow) Imaging Unit (150K)	NCS-74C0ZVG-PSC2016	\$201.71	\$211.71
	Color (Magenta/Cyan/Yellow) Imaging Unit (150K)	NCS-74C0ZVG-PSC2016	\$201.71	\$211.71
Imaging Unit, Cyan	Color (Magenta/Cyan/Yellow) Imaging Unit (150K)	NCS-74C0ZVG-PSC2016	\$201.71	\$211.71
	Color (Magenta/Cyan/Yellow) Imaging Unit (150K)	NCS-74C0ZVG-PSC2016	\$201.71	\$211.71
Imaging Unit, Yellow	Color (Magenta/Cyan/Yellow) Imaging Unit (150K)	NCS-74C0ZVG-PSC2016	\$201.71	\$211.71
Covered by Vendor for Four Years				
Maintenance Kit - 110V Fuser Maintenance Kit (150K) - 41X0554-NCS				
ITU Maintenance – Image Transfer Unit (150K) - 40X9929-NCS				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Office MFP 220V				
Vendor: NCS				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark CX725de HV w/CAC	40CT031-NCS		\$3,661.20	
Key Attributes:				
TCO (per page)	\$0.07999			
CAC	CAC Enabled			
Warranty	Four-year Onsite warranty, Next Business Day			
Network Connectivity	Gigabit Ethernet (10/100/1000) BaseTX (RJ-45)			
Hard Drive	Optional Hard Drive Available			
Duplex	Integrated Duplex			
Print Speed (Color)	Up to 50 ppm (black/color), Up to 40 spm (black duplex)			
Print Resolution	Print Resolution, Black/color; 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Up to 650 pages Standard; 2300 pages Maximum			
Output Capacity	Up to 300 pages			
Scanning	Color Scanning, maximum scan area 8.5 x 14 inches, CCD scan technology, 600 x 600 ppi, Flatbed scanner with ADF			
Digital Sending	Compliant with specified encryption and CAC/active directory credential standards. Up to 34/35 (black), 33/35 (color) sides per minute simplex; 12/12 (black), 12/12 (color) sides per minute duplex			
Power	220V AC 50/60 Hz			
Energy Star	Energy Star V2.0			
EPEAT® Silver	Gold			
Dimensions	H 37.6" W 27.6" D 28.9"			
Weight	141 lb			
Certifications	IPv6 Capable			
	DISA STIG Compliant			
	NIAP CC Certification; Compliant			
	DoD CAC Enabled w/ SHA 256 Compliant, FIPS 201 Compliant			
Fax	Color Faxing			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ENCRYPTED HARD DRIVE	Hard Disk Drive	27X0400-NCS	\$358.60	\$368.60
ADDITIONAL PAPER TRAY	550 Sheet Tray	40C2100-NCS	\$296.28	\$306.28
ADDITIONAL CART/PEDESTAL OR STAND	Adjustment Stand	40C2300-NCS	\$292.82	\$302.82
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Black Toner (25K)	NCS-84COHKG-PSC2016		\$315.54
High Yield Toner : Cyan	Cyan Toner (16K)	NCS-84COHCG-PSC2016		\$304.07
High Yield Toner : Magenta	Magenta Toner (16K)	NCS-84COHMG-PSC2016		\$304.07
High Yield Toner : Yellow	Yellow Toner (16K)	NCS-84COHYG-PSC2016		\$304.07
Imaging Unit, Black	Black Imaging Unit (150K)	NCS-74COZKG-PSC2016		\$73.28
Imaging Unit, Magenta	Color Imaging Unit (150K)	NCS-74COZVG-PSC2016		\$211.71
Imaging Unit, Cyan	Color Imaging Unit (150K)	NCS-74COZVG-PSC2016		\$211.71
Imaging Unit, Yellow	Color Imaging Unit (150K)	NCS-74COZVG-PSC2016		\$211.71
Covered by Vendor for Four Years				
Maintenance Kit - 110V Fuser Maintenance Kit (150K) - 41X0556-NCS				
ITU Maintenance - ITU Maintenance Kit (150K) - 40X9929-NCS				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 110V				
Vendor: NCS				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark CX820dtfe LV w/CAC	42KT077-NCS	\$4,742.87	\$5,671.52	
Key Attributes:				
TCO (per page)	\$0.0711			
CAC	CAC Enabled			
Warranty	Four-year Onsite warranty, Next Business Day			
Network Connectivity	Gigabit Ethernet (10/100/1000) BaseTX (RJ-45)			
Hard Drive	Hard drive included, FIPS 140-2 Compliant AES 256 Encryption Capable			
Duplex	Integrated Duplex			
Print Speed (Color)	Up to 52 ppm			
Print Resolution	Print Resolution, Black/color; 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Up to 1,750 pages standard, 4,500 pages maximum			
Output Capacity	Up to 300 pages standard			
Scanning	Color and network scanning, maximum scan area 8.5 x 14 inches, CCD scan technology, 600 x 600 ppi, flatbed scanner with ADF			
Digital Sending	Compliant with specified encryption and CAC/active directory credential standards. Up to 47 / 49 (black/color) sides per minute simplex			
Power	110V AC 50/60 Hz			
Energy Star	Energy Star V2.0			
E-PEAT	Gold			
Dimensions	H 44.8" W 25.54" D 23.15"			
Weight	296.9 lb			
Certifications	IPv6 Capable			
	DISA STIG Compliant			
	NIAP CC Certification; Compliant			
	DoD CAC Enabled w/ SHA 256 Compliant, FIPS 201 Compliant			
Fax	Color Faxing			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	550 Sheet Tray	21K0567-NCS	\$294.58	\$304.58
Encrypted Hard Drive	320+GB Hard Disk Drive	27X0400-NCS	\$358.60	\$368.60
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Black Toner (33K)	NCS-72K0XKG-PSC2016	\$322.84	\$332.84
High Yield Toner : Cyan	Cyan Toner (22K)	NCS-72K0XCG-PSC2016	\$461.27	\$471.27
High Yield Toner : Magenta	Magenta Toner (22K)	NCS-72K0XMG-PSC2016	\$461.27	\$471.27
High Yield Toner : Yellow	Yellow Toner (22K)	NCS-72K0XYG-PSC2016	\$461.27	\$471.27
Imaging Unit, Black	Black Imaging Unit (175K)	NCS-72K0P0G-PSC2016	\$63.28	\$73.28
Imaging Unit, Magenta	Color Imaging Unit (175K)	NCS-72K0Q0G-PSC2016	\$178.64	\$188.64
Imaging Unit, Cyan	Color Imaging Unit (175K)	NCS-72K0Q0G-PSC2016	\$178.64	\$188.64
Imaging Unit, Yellow	Color Imaging Unit (175K)	NCS-72K0Q0G-PSC2016	\$178.64	\$188.64
Covered by Vendor for Four Years:				
Maintenance Kit - 110V Fuser Maintenance Kit (300K) - 41X0928-NCS				
ADF Maintenance Kit - 41X0931-NCS				

Digital Printing and Imaging (DPI) Ordering Guide



Color Performance MFP 220V				
Vendor: NCS				
OEM/Model:	Part Number:		CONUS	OCONUS
Lexmark CX820dtfe HV w/CAC	42KT082-NCS			\$6,005.80
Key Attributes:				
TCO (per page)	\$0.07641			
CAC	CAC Enabled			
Warranty	Four-year Onsite warranty, Next Business Day			
Network Connectivity	Gigabit Ethernet (10/100/1000) BaseTX (RJ-45)			
Hard Drive	Hard drive included, FIPS 140-2 Compliant AES 256 Encryption Capable			
Duplex	Integrated Duplex			
Print Speed (Color)	Up to 52 ppm			
Print Resolution	Print Resolution, Black/color; 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)			
Input Capacity	Up to 1,750 pages standard, 4,500 pages maximum			
Output Capacity	Up to 300 pages standard			
Scanning	Color and network scanning, maximum scan area 8.5 x 14 inches, CCD scan technology, 600 x 600 ppi, flatbed scanner with ADF			
Digital Sending	Compliant with specified encryption and CAC/active directory credential standards. Up to 47 / 49 (black/color) sides per minute simplex			
Power	220V AC 50/60 Hz			
Energy Star	Energy Star V2.0			
E-PEAT	Gold			
Dimensions	H 44.8" W 25.54" D 23.15"			
Weight	296.9 lb			
Certifications	IPv6 Capable			
	DISA STIG Compliant			
	NIAP CC Certification; Compliant			
	DoD CAC Enabled w/ SHA 256 Compliant, FIPS 201 Compliant			
Fax	Color Faxing			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	550 Sheet Drawer	21K0567-NCS	\$294.58	\$304.58
Encrypted Hard Drive	320+GB Hard Disk Drive	27X0400-NCS	\$358.60	\$368.60
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	Black Toner (33K)	NCS-72K0XKG-PSC2016		\$332.84
High Yield Toner : Cyan	Cyan Toner (22K)	NCS-72K0XCG-PSC2016		\$471.27
High Yield Toner : Magenta	Magenta Toner (22K)	NCS-72K0XMG-PSC2016		\$471.27
High Yield Toner : Yellow	Yellow Toner (22K)	NCS-72K0XYG-PSC2016		\$471.27
Imaging Unit, Black	Black Imaging Unit (175K)	NCS-72K0P0G-PSC2016		\$73.28
Imaging Unit, Magenta	Color Imaging Unit (175K)	NCS-72K0Q0G-PSC2016		\$188.64
Imaging Unit, Cyan	Color Imaging Unit (175K)	NCS-72K0Q0G-PSC2016		\$188.64
Imaging Unit, Yellow	Color Imaging Unit (175K)	NCS-72K0Q0G-PSC2016		\$188.64
Covered by Vendor for Four Years:				
Maintenance Kit - 220V Fuser Maintenance Kit (300K) - 41X0929-NCS				
ADF Maintenance Kit - 41X0931-NCS				

Digital Printing and Imaging (DPI) Ordering Guide



Color 11X17 MFP 110V				
Vendor: NCS				
OEM/Model:	Part Number:		CONUS	OCONUS
Lexmark X950de LV w/CAC	22ZT247-NCS		\$10,045.13	\$11,085.55
Key Attributes:				
TCO (per page)	\$0.08127			
CAC	CAC Enabled			
Warranty	Four-year Onsite warranty, Next Business Day			
Network Connectivity	Gigabit Ethernet (10/100/1000) BaseTX (RJ-45)			
Hard Drive	160GB hard drive included, FIPS 140-2 Compliant AES 256 Encryption Capable			
Duplex	Integrated Duplex			
Print Speed (Color)	Up to 45 ppm/spm (black); Up to 40 ppm/spm (color)			
Print Resolution	Print Resolution, Black/color 1200 x 1200 dpi 2400 Image Quality			
Input Capacity	Up to 620 pages standard, 5140 pages maximum			
PRINT 11 x 17 (A3, TABLOID)	A3 / 11 x 17			
Output Capacity	Up to 500 pages standard, 3,750 pages maximum			
Scanning	Color and network scanning, maximum scan area 11.69 x 17 inches, CCD scan technology, 600 x 600 ppi, flatbed scanner with ADF			
Digital Sending	Compliant with specified encryption and CAC/active directory credential standards. Up to 68 / 70 (black), 53 / 53 (color) sides per minute simplex; 38 / 37 (black), 38 / 37 (color) sides per minute duplex			
Power	110V AC 50/60 Hz			
Energy Star	Energy Star V2.0			
E-PEAT	Silver			
Dimensions	30.01 x 25.20 x 26.97 in 43.21 x 25.20 x 43.63 in. (Trays Extended)			
Weight	255.8 lb			
Certifications	IPv6 Capable			
	DISA STIG Compliant			
	NIAP CC Certification; Compliant			
	DoD CAC Enabled w/ SHA 256 Compliant, FIPS 201 Compliant			
Fax	Color Faxing			
Included in base	Stapler, Stacker, Fax, Encrypted hard drive			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
ADDITIONAL PAPER TRAY	C95x 520-Sheet Drawer Stand	22Z0012-NCS	\$460.00	\$500.00
ADDITIONAL CART/PEDESTAL OR STAND	C95x 3x520-Sheet Drawer Stand	22Z0013-NCS	\$980.00	\$1,180.00
FINISHER	Standard Finisher- 3 Hole	22Z0016-NCS	\$1,475.00	\$1,675.00
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	C950 Black Toner Cartridge, Extra High Yield Cartridge (32K)	NCS-C950X2KG-PSC2016	\$136.36	\$152.86
High Yield Toner : Cyan	C950 Cyan Toner Cartridge, Extra High Yield Cartridge (22K)	NCS-C950X2CG-PSC2016	\$236.79	\$253.29
High Yield Toner : Magenta	C950 Magenta Toner Cartridge, Extra High Yield Cartridge (22K)	NCS-C950X2MG-PSC2016	\$236.79	\$253.29
High Yield Toner : Yellow	C950 Yellow Toner Cartridge, Extra High Yield Cartridge (22K)	NCS-C950X2YG-PSC2016	\$236.79	\$253.29
Photoconductor / Drum Kit	Color Imaging Unit/Photoconductor Kit (Cyan, Magenta, Yellow)	NCS-C950X73G-PSC2016	\$259.35	\$275.85
Waste Toner Bottle / Toner Collection Kit	C950 Waste Container (30K)	NCS-C950X76G-PSC2016	\$25.00	\$35.00
Imaging Unit, Black	Mono Imaging Unit/Photoconductor	NCS-C950X71G-PSC2016	\$90.00	\$100.00
Covered by Vendor for Four Years:				
Maintenance Kit - 110V Fuser Maintenance Kit (320K) - 40X7550-NCS				

[Product Table of Contents](#)

Digital Printing and Imaging (DPI) Ordering Guide



Color 11X17 MFP 220V				
Vendor: NCS				
OEM/Model:	Part Number:	CONUS	OCONUS	
Lexmark X950de HV w/CAC	22ZT244-NCS		\$11,831.18	
Key Attributes:				
TCO (per page)	\$0.09120			
CAC	CAC Enabled			
Warranty	Four-year Onsite warranty, Next Business Day			
Network Connectivity	Gigabit Ethernet (10/100/1000) BaseTX (RJ-45)			
Hard Drive	160GB hard drive included, FIPS 140-2 Compliant AES 256 Encryption Capable			
Duplex	Integrated Duplex			
Print Speed (Color)	Up to 45 ppm/spm (black); Up to 40 ppm/spm (color)			
Print Resolution	Print Resolution, Black/color, 1200 x 1200 dpi, 2400 Image Quality			
Input Capacity	Up to 620 pages standard, 5140 pages maximum			
PRINT 11 x 17 (A3, TABLOID)	A3 / 11 x 17			
Output Capacity	Up to 500 pages standard, 3,750 pages maximum			
Scanning	Color and network scanning, maximum scan area 11.69 x 17 inches, CCD scan technology, 600 x 600 ppi, flatbed scanner with ADF			
Digital Sending	Compliant with specified encryption and CAC/active directory credential standards. Up to 68 / 70 (black), 53 / 53 (color) sides per minute simplex; 38 / 37 (black), 38 / 37 (color) sides per minute duplex			
Power	220V AC 50/60 Hz			
Energy Star	Energy Star V2.0			
E-PEAT	Silver			
Dimensions	30.01 x 25.20 x 26.97 in 43.21 x 25.20 x 43.63 in. (Trays Extended)			
Weight	255.8 lb			
Certifications	IPv6 Compliant			
	DISA STIG Compliant			
	CCRA Compliant			
	DoD CAC Enabled (FIPS 201 Compliant) with SHA 256 compliance			
Included in base	Stapler, Stacker, Fax, Encrypted hard drive			
Upgrades:				
Type	Description	Part Number	CONUS	OCONUS
0ADDITIONAL PAPER TRAY	C95x 520-Sheet Drawer Stand	22Z0012-NCS	\$460.00	\$500.00
ADDITIONAL CART/PEDESTAL OR STAND	C95x 3x520-Sheet Drawer Stand	22Z0013-NCS	\$980.00	\$1,180.00
FINISHER	Standard Finisher- 3 Hole	22Z0016-NCS	\$1,475.00	\$1,675.00
Consumables:				
Type	Description	Part Number	CONUS	OCONUS
High Yield Toner : Black	C950 Black Toner Cartridge, Extra High Yield Cartridge (32K)	NCS-C950X2KG-PSC2016	\$136.36	\$152.86
High Yield Toner : Cyan	C950 Cyan Toner Cartridge, Extra High Yield Cartridge (22K)	NCS-C950X2CG-PSC2016	\$236.79	\$253.29
High Yield Toner : Magenta	C950 Magenta Toner Cartridge, Extra High Yield Cartridge (22K)	NCS-C950X2MG-PSC2016	\$236.79	\$253.29
High Yield Toner : Yellow	C950 Yellow Toner Cartridge, Extra High Yield Cartridge (22K)	NCS-C950X2YG-PSC2016	\$236.79	\$253.29
Photoconductor / Drum Kit	Color Imaging Unit/Photoconductor Kit (Cyan, Magenta, Yellow)	NCS-C950X73G-PSC2016	\$259.35	\$275.85
Waste Toner Bottle / Toner Collection Kit	C950 Waste Container (30K)	NCS-C950X76G-PSC2016	\$25.00	\$35.00
Mono Imaging Unit/Photoconductor	Mono Imaging Unit/Photoconductor	NCS-C950X71G-PSC2016	\$90.00	\$100.00
Covered by Vendor for Four Years:				
Maintenance Kit – 220V Fuser Maintenance Kit (320K) - 40X7569-NCS				

[Product Table of Contents](#)